

Cape Town, Oude Molen Precinct

TREE QUALITY SURVEY & CATALOGUE

Prepared
by:



Planning Partners
Landscape Architects

For:

Western Cape Government

Tree preservation strategy for the development of Oude Molen prioritise the retention of trees with cultural, ecological, and aesthetic value.

TREE EVALUATION CRITERIA:

The following criteria were used to assess trees for preservation during the Tree Quality Survey.

- a) Tree Conditions: Trees were visually inspected, photographed, numbered, identified, girth of trunk and canopy estimated. Overall appearance of the tree was judge based on each species age, growth shape, state of foliage, trunk and branches structural stability, and any sign of disease or pest on the trees. Based this overall assessment the Trees Quality was described if the tree is in a Good Condition for retention or not.
- b) Heritage Significance: Trees identified as heritage trees are those of cultural significance. This includes species historically used in agricultural settings or during Cape Town's early development. Additionally, trees older than 60 years located near Heritage Buildings are considered culturally significant. Removal of heritage significant trees will require motivation to and approval from Heritage Western Cape and the City of Cape Town.
- c) Listed Protected Trees: Species listed under the National Forest Act (Act No.84 of 1998) are considered protected trees. A removal permit from the National Department of Forestry is necessary for any pruning or removal of these protected species. The Tree Quality Survey identifies all listed protected trees species on Oude Molen.
- d) Placing-Making Trees: Large, mature trees in good condition are categorized as placing-making trees. Every effort should be made to retain these trees through pruning or adjustments to architectural or engineering plans. Removal of placing-making trees will require motivation to and approval from the City of Cape Town.
- e) Transplantable Trees:
Trees and Palms in good condition and identified as transplantable species should consider for relocation on-site. Species include all Ficus Tree species, Pheonix Palm species and Washingtonia Palm species.
- f) Invasive Trees:
The National Environmental Management: Biodiversity Act (2004) NEMA Regulations classify invasive plant species into categories based on their level of invasiveness. Trees listed as Class 1, 2, and 3 Invasive Species was shown to be removed with only two exceptions noted in the Guidelines.
- g) Trees in Good Condition or Transplantable: Trees in good condition or identified as transplantable species should consider for retention or relocation on-site. However, removal may be considered if necessary for development purposes.

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
1	0.2	2	3	<i>Plumeria sp.</i>	Fair Condition	
2	0.25	3	5	<i>Ekebergia capensis</i>	Good Condition	
3	0.25	3	3.5	<i>Ekebergia sp.</i>	Fair Condition	
4	0.8	13	10+	<i>Platanus x acerfolia</i>	Fair Condition	
5	1.2	11	11	<i>Pinus sp.</i>	Fair Condition, Mature	
6	1.8	18	20	<i>Eucalyptus sp.</i>	Fair Condition, Mature	
7	1.8	19	20	<i>Eucalyptus sp.</i>	Fair Condition, Mature	
8	1.8	19	18	<i>Eucalyptus sp.</i>	Fair Condition	
9	0.4	9	6	<i>Erythrina sp.</i>	Good Condition	
10	0.1	1.7	2.5	<i>Celtis sp.</i>	Good Condition	
11	0.1	1.7	2.5	<i>Celtis sp.</i>	Good Condition	
12	0.15	3	2.5	<i>Erythrina sp.</i>	Good Condition	
13	0.1	3	2.5	<i>Celtis sp.</i>	Good Condition	
14	0.1	2	2	<i>Celtis sp.</i>	Good Condition	
15	0.1	1.0	1	<i>Afrocarpus falcatus</i>	Good Condition, Shrub size	
16	0.3	2.5	4.5	<i>Aloidendron barberae</i>	Good Condition	
17	0.35	6	7	<i>Syzygium cordatum</i>	Poor Condition, Old	
18	7	6	0.7	<i>Eriobotrya japonica</i>	Good Condition, Invasive	3
19	0.1	2.5	2	<i>Eriobotrya japonica</i>	Good Condition, Invasive	3
20	0.35	12	7	<i>Tarconanthus camphoratus</i>	Good Condition	
21	0.2	5	5	<i>Salix capensis</i>	Fair Condition	
22	0.8	11	9	<i>Syzygium guineense</i>	Good Condition	
23	0.9	14	6	<i>Schinus terebinthifolius</i>	Good Condition, Invasive	3
24	0.35	4	8	<i>Olea europea subsp. Africana</i>	Good Condition	
25	0.8	10	7	<i>Olea sp.</i>	Good Condition	
26	1	17	7 - 8	<i>Searsia pendulina</i>	Good Condition	
27	0.3	9	8	<i>Quercus suber</i>	Good Condition	
28	4	12	8-9	<i>Phytolacca dioica</i>	Good Condition, Invasive	3
29	MS	5	4	Unknown shrub, <i>Virgilia oroboides</i>	Cluster, Good Condition	
30				<i>Tarconanthus camphoratus</i> , <i>Syzygium guineense</i> , <i>Searsia pendulina</i> , <i>Celtis sp.</i>		
31	0.8	5	5	<i>Sideroxylon inerme</i>	Poor Condition	
32	MS	8	5	<i>Tarconanthus camphoratus</i>	Fair Condition	
33	1.2	9	9	<i>Phytolacca dioica</i>	Good Condition, Invasive	3
34	1	4	6	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
35	7	15	10	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
36	MS(3)	6	5	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
37	MS(0.8)	11	5	<i>Searsia pendulina</i>	Fair Condition	
38	1.2	10	8	<i>Melia azedarach</i>	Poor Condition, Invasive	3
39		8	4	<i>Schinus terebinthifolius</i>	Cluster, Invasive	3
40	1.7	19	10	<i>Ficus sp.</i>	Good Condition	
41	11	13	9	<i>Ficus sp.</i>	Good Condition	
42	MS(1)	2.5	3.5	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
43	2	7	7	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
44	2	7	6	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
45	1.5	7	5	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
46	1.6	7	6	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
47	2.5	11	5	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
48	2	8	5	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
49	3	8	5	<i>Phytolacca dioica</i>	Good Condition, Invasive	3
50	1.5	8	5	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
51	4	8	5	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
52	MS(2)	8	5	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
53	MS(0.3)		4.5	<i>Melaleuca quinque x 7</i>	Poor Condition, Invasive	1b
54	MS(0.3)		5	<i>Melaleuca quinque x 4</i>	Fair Condition, Invasive	1b
55	MS(1.8)	4	7	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
56	MS(1)	4	7	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
57	MS(0.1)	4	7	<i>Melaleuca quinque</i>	Poor Condition, Invasive	1b
58	MS(0.1)	4	7	<i>Melaleuca quinque</i>	Poor Condition, Invasive	1b
59	0.8	3	4.5	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
60	1.1	14	9-10	<i>Robinia pseudoacacia</i>	Poor Condition, Invasive	1b

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
61	0.8	3	8	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
62	3.5	10	11	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
63	1.5	5.5	9-10	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
64		17	10	<i>Eucalyptus conferruminata</i>	Poor condition	
65	0.8	12	9-10	<i>Ekebergia sp.</i>	Fair Condition	
66	1	9	6	<i>Phoenix sp.</i>	Good Condition	
67	0.8	9	10	<i>Eucalyptus sp.</i>	Good Condition	
68	0.5	10	8	<i>Ekebergia sp.</i>	Fair Condition	
69	0.8	5	11	<i>Eucalyptus sp.</i>	Good Condition	
70	0.8	7	10	<i>Phytolacca dioica</i>	Good Condition, Invasive	3
71	2	11	12	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
72	2.1	11	3	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
73	0.4	4.5	9	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
74	4.5	12	14	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
75	MS (1)	5.0	13	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
76	2	9	13	<i>Phytolacca dioica</i>	Good Condition, Invasive	3
77	2.2	15	14	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
78	MS (1)	13.5	9-10	<i>Ficus natalensis</i>	Fair Condition	
79	0.25	5	5.5	<i>Ceratonia siliqua</i>	Fair Condition	
80	0.3	4.5	5	<i>Olea sp.</i>	Fair Condition	
81	MS (0.4)	4	5	<i>Olea sp.</i>	Fair Condition	
82	0.3	6	5	<i>Unknown</i>	Fair Condition	
83	MS (0.5)	8	6	<i>Unknown</i>	Fair Condition	
84	0.15	2.5	3-4	<i>Olea sp.</i>	Fair Condition	
85	0.15	2.5	3	<i>Unknown</i>	Poor Condition	
86	0.2	5	4.5	<i>Olea sp.</i>	Fair Condition	
87	0.8	10	12	<i>Melia azedarach</i>	Fair Condition, Invasive	3
88	0.2	6.5	4.5	<i>Dovyalis caffra</i>	Good Condition	
89	0.8	7	12	<i>Melia azedarach</i>	Fair Condition, Invasive	3
90	1	7	12	<i>Melia azedarach</i>	Fair Condition, Invasive	3
91	1.5	10	12	<i>Melia azedarach</i>	Cluster, Invasive	3
92	0.35	5	10	<i>Syzygium cordatum</i>	Fair Condition	
93	0.3	5	4-5	<i>Prunus dulcis</i>	Fair Condition	
94	0.2	4.5	4	<i>Prunus dulcis</i>	Fair Condition	
95		2	7	<i>Rosa canina</i>	Good Condition	
96	0.4	9	10	<i>Syzygium cordatum</i>	Fair Condition	
97	MS (1.1)	4	4	<i>Phoenix reclinata</i>	Poor Condition	
98	MS (1)	2	4	<i>Citharexylum spinosum</i>	Poor Condition	
99	0.4	5	10	<i>Callistemon viminalis</i>	Fair Condition, Invasive	3
100	0.5	5	10	<i>Callistemon viminalis</i>	Fair Condition, Invasive	3
101	0.6	5	10	<i>Callistemon viminalis</i>	Fair Condition, Invasive	3
102	0.4	10	13	<i>Trichilia emetica</i>	Good Condition	
103	0.2	5	4	<i>Tarconanthus camphoratus</i>	Good Condition	
104	0.3	5	4	<i>Melia azedarach</i>	Fair Condition, Invasive	3
105	Cluster	7	4-5	<i>Eriobotrya japonica</i> , <i>Citharexylum spinosum</i> , <i>Liquidambar styraciflua</i> , <i>Schinus terebinthifolius</i> , <i>Persea americana</i>	Poor Condition	
106	0.45	5	9	<i>Melia azedarach</i>	Fair Condition, Invasive	3
107	MS (0.8)	3.5	5	<i>Citharexylum spinosum</i>	Poor Condition	
108	1	2	2	<i>Phoenix canariensis</i>	Poor Condition	
109	MS (1)	4	5	<i>Citharexylum spinosum</i>	Poor Condition	
110	0.45	9	9	<i>Acacia saligna</i>	Fair Condition, Invasive	1b
111	0.25	4	5	<i>Celtis sp. #1</i>	Good Condition	
112	0.26	4	5	<i>Celtis sp. #2</i>	Good Condition	
113	0.7	4	6	<i>Tarconanthus camphoratus</i>	Fair Condition	
114	MS (1)	5	7	<i>Ficus sp.</i>	Fair Condition	
115	Cluster	±3		<i>Solanum</i> , <i>Plumeria sp.</i> , <i>Tecoma capensis</i> , <i>Yucca gigantea</i>		
116	MS		3	<i>Yucca gigantea</i>	Fair Condition	
117	0.35	7	10	<i>Tarconanthus camphoratus</i>	Fair Condition	
118	0.5	9	12	<i>Kiggeteria africana</i>	Fair Condition	
119	MS	4.5	6	<i>Erythrina sp.</i>	Good Condition	
120	MS (1)	10	11	<i>Harpephyllum</i>	Good Condition	

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
121	0.4	11	9	<i>Acacia saligna</i>	Good Condition, Invasive	1b
122	0.4	5	9	<i>Kiggerlaria africana</i>	Good Condition	
123	1.5	7	15	<i>Phoenix canariensis</i>	Good Condition	
124	0.5	4	5	<i>Ceratonia siliqua</i>	Fair Condition	
125	0.3	5	6	<i>Ceratonia siliqua</i>	Fair Condition	
126	0.4	15	5	<i>Brachylaena discolor</i> x 6	Poor Condition	
127	0.5	10	5	<i>Syzygium cordatum</i> x 3	Fair Condition	
128	2	19	10+	<i>Ficus sp.</i>	Good Condition	
129	0.3	4	8	<i>Ficus macrocarpa</i>	Fair Condition	
130	0.6	9	10+	<i>Ficus nataliensis</i>	Fair Condition	
131	MS (1)	9	5	<i>Brachylaena discolor</i>	Good Condition	
132	0.35	10	9	<i>Ficus macrocarpa</i>	Poor Condition	
133	0.4	10	9	<i>Ficus macrocarpa</i>	Poor Condition	
134	6.2	4	5	<i>Brachylaena</i>	Fair Condition	
135	0.3	5.5	9	<i>Callistemon viminalis</i>	Poor Condition, Invasive	3
136				<i>Yucca gigantea</i>	Good Condition	
137	0.5	7	10	Unknown	Fair Condition	
138	0.4	5	10	<i>Kiggerlaria africana</i>	Fair Condition	
139	0.45	10	8.9	<i>Acacia karoo</i>	Fair Condition	
140	0.2	5	7	<i>Lagunaria patersonii</i>	Good Condition	
141	0.5	5	10	<i>Melia azedarach</i>	Fair condition, Invasive	3
142	0.6	6	6	<i>Acer negundo</i>	Fair condition, Invasive	3
143	0.2	5.5	6.5	<i>Metrosideros excelsa</i>	Fair condition, Invasive	3
144	MS (0.5)	6	6	<i>Afrocarpus falcatus</i>	Fair Condition	
145	(MS)	9	10	<i>Callistemon viminalis</i>	Fair Condition, Invasive	3
146	0.35	7	10	<i>Callistemon viminalis</i>	Fair Condition, Invasive	3
147	1	1.3	09-Aug	<i>Melaleuca quinquenervia</i>	Good Condition, Invasive	1b
148		9	6	<i>Carrisa sp., Melia azedarach, Eriobotrya japonica, Harpephyllum</i>	Cluster, Fair Condition	3
149	0.35	8	8-9	Unknown	Fair Condition	
150	0.45	6	10-11	<i>Melia sp.</i>	Fair condition, Invasive	3
151	0.25	3	5	<i>Erythrina sp.</i>	Good Condition	
152	MS (1)	8	3	<i>Dombeya rotundifolia</i>	Fair Condition , shrub	
153	0.35	8	4.5-5	<i>Schinus molle</i>	Fair condition, Invasive	3
154	MS (3)	7	6	<i>Strelitzia nicolai</i>	Good Condition	
155	0.5	7	9	<i>Erythrina sp.</i>	Good Condition	
156	MS (1)	10	9	<i>Schinus terebinthifolia</i>	Fair condition, Invasive	3
157	0.3	8	6	<i>Ekebergia capensis</i>	Good Condition	
158		10	9	<i>Hibiscus sp. , Kiggerlaria africana, Ekebergia sp.</i>	Cluster, Fair Condition	
159	0.4	9	9-10	<i>Melia azedarach</i>	Fair condition, Invasive	3
160	0.2	3	7	<i>Kiggerlaria africana</i>		
161	1.1	10	7-8	<i>Syzygium paniculatum</i>	Fair Condition, Invasive	3
162	MS (0.7)	6	5	<i>Hibiscus sp.</i>	Fair Condition	
163	0.4	5	7	<i>Acer negundo</i>	Poor Condition, Invasive	3
164	0.4	5	8	<i>Syzygium cordatum</i>	Good Condition	
165	MS (0.3)	8	4.5	<i>Eriobotrya japonica</i>	Fair Condition	3
166	MS (0.3)	5	5	<i>Citharexylum spinosum</i>	Shrub, Fair Condition	
167	0.3	3	7	<i>Kiggerlaria africana</i>	Good Condition	
168	0.3	3	7	<i>Kiggerlaria africana</i>	Good Condition	
169	0.3	3	7	<i>Kiggerlaria africana</i>	Good Condition	
170	0.15	1	5	<i>Kiggerlaria africana</i>	Fair Condition	
171	MS (0.2)	4	5-10	<i>Kiggerlaria africana</i>	Good Condition	
172	0.4	10	5	Unknown	Fair Condition	
173	0.4	2.5	4	<i>Afrocarpus falcatus</i>	Fair Condition	
174	1	4	3	<i>Brachylaena discolor</i>	Fair Condition	
175	1	16	7	<i>Melia azedarach</i>	Good Condition, Invasive	3
176	0.3	5	9	Unknown	Fair Condition	
177	MS (1)	11	5	<i>Brachylaena discolor</i>	Good Condition	
178				Dead species	Dead	
179	0.4	4	8	<i>Syzygium cordatum</i>	Fair Condition	
180	0.4	4	8	<i>Syzygium cordatum</i>	Fair Condition	

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
181	0.3	10	6	<i>Ekebergia sp.</i>	Fair Condition	
182	1.1	12	9	<i>Schinus terebinthifolia</i>	Fair Condition, Invasive	3
183	1	9		<i>Phoenix canariensis</i>	Good Condition	
184	1.5	9-10	9-10	<i>Searsia pendulina</i>	Good Condition	
185	0.15	4	3	<i>Melaleuca viminalis</i>	Shrub, Invasive	3
186	0.3	5	6	<i>Trichilia emetica</i>	Poor Condition	
187	1.1	14	7	<i>Searsia pendulina</i>	Fair condition	
188	0.25	4	5	<i>Liquidambar styraciflua</i>	Fair Condition	
189	MS (1)	14	7	<i>Searsia pendulina</i>	Fair- Poor condition	
190	0.9	9	10-11	<i>Syzygium cordatum</i>	Poor Condition	
191	1.5	5	1.8	<i>Strelitzia nicolai</i>	Good Condition	
192	0.5	6	9-10	<i>Quercus sp</i>		
193	0.25	8	3	<i>Erythrina sp</i>	Good Condition	
194	0.3	5	5	<i>Olea sp.</i>	Good Condition	
195	1.5	27	12	<i>Ficus sp.</i>		
196	0.5	13	10-12	<i>Brachylaena discolor</i>	Good Condition	
197		1	10-12	<i>Ficus sp.</i>	Cluster, Fair Condition	
198	0.3	4	6	<i>Kiggerlaria africana</i>	Good Condition	
199	0.4	5	6-7	<i>syzygium cordatum</i>	Fair Condition	
200	0.5	9	10-12	<i>Searsia pendulina</i>	Fair Condition	
201	0.9	7	10-12	<i>Lagunaria patersonii</i>	Good Condition	
202	0.8	7	9	<i>Tecoma stans</i>	Poor Condition	1b
203	0.35	7	6	<i>Celtis sp.</i>	Good Condition	
204	1.2	7	14	<i>Phoenix canariensis</i>	Good Condition	
205	2.5	7	12	<i>Phytolacca dioica</i>	Poor Condition	3
206	0.8	8	13	<i>Casuarina cunninghamiana</i>	Poor Condition, Invasive	2
207	0.8	8	14	<i>Casuarina cunninghamiana</i>		2
208	3.2	6	8	<i>Dovyalis caffra</i>	Fair Condition	
209	8	19	12	<i>Phytolacca dioica</i>	Growing into each other	3
210	1	10	8	<i>Ceratonía siliqua</i>	Fair Condition	
211	0.12	5	6	<i>Afrocarpus falcatus</i>	Poor Condition	
212	0.35	7	8	<i>Syzygium cordatum</i>	Good Condition	
213	0.5	10	12	<i>Quercus sp.</i>	Good Condition	
214	0.4	11	9	<i>Syzygium cordatum</i>	Good Condition	
215	MS (0.2)	1.5	2.5	<i>Afrocarpus falcatus</i>	Shrub, Poor Condition	
216	0.3	6	12	<i>Cussonia spicata</i>	Good Condition	
217	0.4	7	12	<i>Afrocarpus falcatus</i>	Good Condition	
218	0.4	13	12	<i>Searsia viminalis</i>	Fair Condition	
219	0.4	7	12	<i>Afrocarpus falcatus</i>	Good Condition	
220	MS (0.8)	7	7	<i>Searsia viminalis</i>	Fair Condition	
221	MS (0.9)	12	12	<i>Syzygium cordatum</i>	Good Condition	
222	0.5	9	12	<i>Syzygium cordatum</i>		
223	MS (0.25)	4.5	5.5	<i>Olea sp.</i>	Good Condition	
224	MS (0.5)	9	12	<i>Brachylaena discolor</i>	Fair Condition	
225		4	5	<i>Brachylaena discolor</i>	Fair Condition	
226	0.35	10	12	<i>Melia azedarach</i>	Good Condition, Invasive	3
227	0.64	10	11	<i>Schinus sp</i>	Fair Condition, Invasive	3
228	0.22	9	11	<i>Macadamia integrifolia</i>	Good Condition	
229	0.1	2.5	5	<i>Lemon eureka</i>	Poor Condition	
230	0.1	3	5	<i>Prunus persica</i>	Fair Condition	
231	0.16	5	8	<i>Brachylaena discolor</i>	Fair Condition	
232	0.3	8	7	<i>Prunus persica</i>	Fair Condition	
233	0.4	13	9	<i>Schinus molle</i>	Good Condition, Invasive	3
234	0.1	1	5	<i>Harpephyllum sp.</i>	Good Condition	
235	0.24	3	5	<i>Yucca gigantea</i>	Fair Condition, Invasive	
236	0.12	3	5	<i>Ceratonía siliqua</i>	Good Condition	
237	7	15	13-14	<i>Phytolacca dioica</i>	Good Condition	
238	MS (0.6)	9	11	<i>Syzygium cordatum</i>	Good Condition	
239	0.4	9	10	<i>Searsia pendulina</i>	Good Condition	
240	0.4	9	10	<i>Searsia pendulina</i>	Good Condition	

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
241	0.54	7	11	<i>Schinus molle</i>	Invasive	3
242	0.4	7	11	<i>Syzygium paniculatum</i>	Invasive	3
243	0.27	8	22-13	<i>Syzygium paniculatum</i>	Invasive	3
244	0.65	12	13	<i>Pine sp.</i>	Fair Condition	
245	0.4	7	12	<i>Pine sp.</i>	Good condition	
246	W (8)	15	11	<i>Ficus microcarpa</i>	Good condition	
247	W (11)	11	6		Good condition	
248	0.9	15	10	<i>Eucalyptus ficifolia</i>	Fair Condition	
249		4	8-10	<i>Strelitzia Nicolai, Citharexylum spinosum</i>	Good condition	
250	0.3	6	7	<i>Morus alba</i>	Invasive	3
251	0.4	1.5	6	<i>Yucca gigantea</i>	Invasive	
252	0.4	1.5	6	<i>Yucca gigantea</i>	Invasive	
253	0.4	10	10	<i>Eucalyptus sp.</i>	Good condition	
254	0.8	6	10	<i>Eucalyptus sp.</i>	Poor condition	
255				<i>Eucalyptus sp.</i>		
256	MS (1)	12	15	<i>Eucalyptus sp.</i>	Good condition	
257	0.6	5	9	<i>Pine sp.</i>	Poor condition	
258	0.8	7	10	<i>Pine sp.</i>	Fair Condition	
259	0.34	10	12	<i>Pine sp.</i>	Fair Condition	
260	0.4	7	9	<i>Pine sp.</i>	Poor condition	
261	0.36	6	9	<i>Pine sp.</i>		
262	MS (1)	13	14	<i>Eucalyptus ficifolia</i>	Good condition	
263	0.96			<i>Eucalyptus ficifolia</i>		
264	0.8	12	10	<i>Eucalyptus ficifolia</i>	Poor condition	
265	0.6	5	9	<i>Eucalyptus ficifolia</i>	Poor condition	
266	0.35	6	9	<i>Eucalyptus ficifolia</i>	Good condition	
267	1.5	9	8	<i>Phoenix canariensis</i>	Good condition	
268	0.5	10	9	<i>Eucalyptus sp.</i>	Fair Condition	
269	1.2	8	5	<i>Phoenix sp.</i>	Good condition	
270	0.3	9	10	<i>Pine sp.</i>	Good condition	
271	0.8	17	9-10	<i>Pine sp.</i>	Fair Condition	
272	0.68	12	9-10	<i>Pine sp.</i>		
273	1.6	17	13	<i>Eucalyptus sp.</i>	Good condition	
274	1.2	17	12	<i>Pine sp.</i>	Fair Condition	
275	0.9	8	4	<i>Callistemon sp.</i>	Invasive	3
276	MS (0.37)	4	2.5	<i>Callistemon sp.</i>	Invasive	3
277	MS (1.3)	11	7-8	<i>Ceratonia siliqua</i>	Good condition	
278	MS (1)	6	3	<i>Callistemon sp.</i>	Invasive	3
279	MS (1)	6	3	<i>Ficus sp.</i>	Good condition	
280	0.75	13	13-14	<i>Eucalyptus sp.</i>	Fair Condition	
281	0.45	11	7	<i>Eucalyptus sp.</i>	Fair Condition	
282	0.9	12	10-12	<i>Eucalyptus sp.</i>	Fair Condition	
283	0.9	8	10-12	<i>Eucalyptus ficifolia.</i>	Good condition	
284	0.9	11	9	<i>Eucalyptus ficifolia</i>	Good condition	
285	0.12	2	4.5	<i>Persea americana.</i>	Fair Condition	
286	0.25	7	8	<i>Ceratonia siliqua</i>	Poor condition	
287	0.66	14	10-12	<i>Pine sp.</i>	Poor condition	
288	MS (1)	4.5	5-6	<i>Agonis flexuosa</i>	Poor condition	
289	MS (0.9)	7	5	<i>Melia azedarach</i>	Poor condition	3
290	MS (0.75)	8	4.8	<i>Fraxinus angustifolia</i>	Poor condition	3
291	0.6	1.7	3-4	<i>Fraxinus angustifolia</i>	Poor condition	3
292	0.3	4	3-4	<i>Dombeya rotundifolia</i>	Fair Condition	
293	MS (1.4)	6	7-8	<i>Fraxinus angustifolia</i>	Fair Condition	3
294	0.6	5	5-6	<i>Fraxinus angustifolia</i>	Poor condition	3
295				<i>Fraxinus angustifolia</i>		3
296	0.3	5	5-6	<i>Acer sp.</i>	Poor condition	3
297	0.9	14	9-10	<i>Grevillea striata</i>	Poor condition	3
298	0.55	7	5	<i>Unknown sp.</i>	Poor condition	3
299	MS (0.6)	9	8-9	<i>Fraxinus angustifolia</i>	Fair Condition	3
300	0.5	3	5-6	<i>Unknown</i>	Poor condition	
301	MS (0.6)	9	7	<i>Ficus elastica</i>	Fair Condition	

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
302	1	7	4	<i>Phoenix canariensis</i>	Good condition	
303	1	7	4	<i>Phoenix canariensis</i>	Good condition	
304	0.38	9	11	<i>Syzygium paniculatum</i>	Good Condition, Invasive	3
305	0.4	4	4.5	<i>Hibiscus sp.</i>	Fair Condition	
306	3	12	10-12	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
307	1.3	9	12	<i>Phoenix canariensis</i>	Good condition	
308	0.29	2.5	2.5	<i>Phoenix canariensis</i>	Good condition	
309	0.4	11	8-9	<i>Quercus sp.</i>	Good condition	
310	0.4	13	8-9	<i>Quercus sp.</i>		
311	0.4	24	8-9	<i>Quercus sp.</i>		
312	1.1	8	10-12	<i>Eucalyptus sp.</i>	Poor Condition	
313	1.1	10	10-12	<i>Eucalyptus sp.</i>	Fair Condition	
314	1.1	10	10-12	<i>Eucalyptus sp.</i>	Fair Condition	
315	1.5	10	10-12	<i>Eucalyptus sp.</i>	Fair Condition	
316	MS(1.9)	12	10-12	<i>Eucalyptus sp.</i>	Poor Condition	
317	MS(2)	12	10-12	<i>Eucalyptus sp.</i>		
318	MS(1.6)	10	10-12	<i>Eucalyptus sp.</i>		
319	MS(0.7)	11	9-10	<i>Ficus sp.</i>	Good Condition	
320	0.7	12	9-10	<i>Ficus sp.</i>		
321	1.1	24	9-10	<i>Ficus sp.</i>	Good Condition	
322	0.3	11	6	<i>Ficus sp.</i>	Good Condition	
323	0.6	11	8	<i>Ficus sp.</i>	Good Condition	
324	0.25	6	7	<i>Ekerbergia sp.</i>	Good Condition	
325	0.2	4	4.5	<i>Ekerbergia sp.</i>	Stunted Growth	
326	0.38	7	6-7	<i>Ficus sp.</i>	Good Condition	
327	1.2	8	10	<i>Ficus sp. x 2</i>	Good Condition	
328	1.3	25	10	<i>Ficus microcarpa</i>	Good Condition	
329	0.2	5.5	4	<i>Afrocarpus falcatus</i>	Good Condition	
330	0.45	6	6	<i>Brachylaena discolor</i>	Fair Condition	
331	1.1	11	9	<i>Phoenix canariensis</i>	Good Condition	
332	0.85	10	12-13	<i>Ficus sp.</i>	Good Condition	
333	0.85	10	12-13	<i>Ficus sp.</i>	Good Condition	
334	0.85	10	12-13	<i>Ficus sp.</i>	Good Condition	
335	1.5	3.5	10	<i>Yucca gigantea</i>	Fair Condition	
336	1.7	23	10	<i>Ekerbergia sp.</i>	Good Condition	
337	MS(0.8)	7	8	<i>Brachylaena discolor</i>	Fair Condition	
338	0.8	13	10	<i>Ficus natalensis</i>	Good Condition	
339	0.2	4	7	<i>Dais cotinifolia</i>	Poor Condition	
340	MS(1)	12	9	<i>Schinus terebinthifolius</i>	Good Condition, Invasive	3
341	5	13	10-11	<i>Phytolacca dioica</i>	Good Condition, Invasive	3
342	MS(0.5)	3.5	7-8	<i>Kiggerlaria africana</i>	Fair Condition	
343	0.43	9	8-9	<i>Ficus natalensis</i>	Good Condition	
344	0.22	5	7-8	<i>Ficus macrocarpa</i>	Good Condition	
345	0.5	11	9-10	<i>Ficus sp.</i>	Good Condition	
346	0.5	11	9-10	<i>Ficus sp.</i>	Good Condition	
347	0.7	10	10-11	<i>Ficus sp.</i>	Good Condition	
348	0.7	10	10-11	<i>Ficus sp.</i>	Good Condition	
349	0.29	4	6	<i>Ficus sp.</i>	Good Condition	
350	0.44	7	8-9	<i>Ficus sp.</i>	Good Condition	
351	1.1	8	10	<i>Phoenix canariensis</i>	Good Condition	
352	1.1	12	11-12	<i>Kiggerlaria africana</i>	Good Condition	
353	1.2	12	12-13	<i>Melia azedarach</i>	Good Condition	3
354	0.43	18	10-12	<i>Ficus sp.</i>	Good Condition	
355	0.55	23	10-12	<i>Ficus sp.</i>	Good Condition	
356	0.44	15	9-10	<i>Ficus sp.</i>	Good Condition	
357	0.44	15	9-10	<i>Ficus sp.</i>	Good Condition	
358	1	9	6	<i>Myoporum sp.</i>	Fair Condition	3
359	0.5	5	14	<i>Washingtonia robusta</i>	Good Condition	
360	0.5	5	14	<i>Washingtonia robusta</i>	Good Condition	
361	0.17	3	4	<i>Prunus persica</i>	Fair Condition	
362	0.55	5	14	<i>Eucalyptus sp.</i>	Good Condition	

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
363	1	5	14	<i>Eucalyptus sp. X 2</i>	Good Condition	
364	1.1	10	16	<i>Phoenix canariensis</i>	Good Condition	
365	0.5	4	11-12	<i>Washingtonia robusta</i>	Good Condition	
366	0.5	4	11-12	<i>Washingtonia robusta</i>	Good Condition	
367	0.5	4	11-12	<i>Washingtonia robusta</i>	Good Condition	
368	0.5	4	11-12	<i>Washingtonia robusta</i>	Good Condition	
369	0.5	4	11-12	<i>Washingtonia robusta</i>	Good Condition	
370	1.1	6	16	<i>Phoenix canariensis</i>	Good Condition	
371	1.2	21	12-13	<i>Eucalyptus ficifolia</i>	Good Condition	
372	1.2	21	9-10	<i>Eucalyptus ficifolia</i>	Good Condition	
373	0.6	6	6-8	<i>Eucalyptus ficifolia</i>	Good Condition	
374	MS(0.5)	10	7-8	<i>Ficus sp.</i>	Fair Condition	
375	1.25	19	11-12	<i>Eucalyptus ficifolia</i>	Good Condition	
376	1	13	11-12	<i>Eucalyptus ficifolia</i>	Good Condition	
377	1.1	18	11-12	<i>Eucalyptus ficifolia</i>	Good Condition	
378	0.8	16	10-12	<i>Eucalyptus sp.</i>	Good Condition	
379	0.8	10	15-16	<i>Phoenix canariensis</i>	Good Condition	
380	0.6	15	7-8	<i>Ekebergia sp.</i>	Good Condition	
381	1	10	15-16	<i>Phoenix canariensis</i>	Good Condition	
382	1	9	12	<i>Araucaria heterophylla</i>	Good Condition	
383	0.3	4	6	<i>Eucalyptus sp.</i>	Poor Condition	
384	0.3	4	6	<i>Eucalyptus sp.</i>	Poor Condition	
385	0.3	4	6	<i>Eucalyptus sp.</i>	Poor Condition	
386	0.2	2.5	3.5	<i>Myoporum sp.</i>	Poor Condition	3
387		2.5	4.5	<i>Strelitzia Nicolai</i>	Good Condition	
388	0.34	11	7-8	<i>Ficus sp.</i>	Good Condition	
389	0.3	4	6	<i>Eucalyptus sp.</i>	Poor Condition	
390	0.3	4	6	<i>Eucalyptus sp.</i>	Poor Condition	
391	0.3	4	6	<i>Eucalyptus sp.</i>	Poor Condition	
392	0.3	4	6	<i>Eucalyptus sp.</i>	Poor Condition	
393	1.7	4	9	<i>Phytolacca dioica</i>	Fair Condition	3
394		10	4.5	<i>Hibiscus sp. , Tecoma stans, Leucospermum sp.</i>	Fair Condition	1b
395	0.4	11	4	<i>Myoporum sp.</i>	Fair-Condition, Invasive	3
396	0.2	7	10	<i>Syzygium paniculatum</i>	Good Condition, Invasive	3
397	0.2	9	7-8	<i>Ficus macrocarpa</i>	Good Condition	
398		8	2	<i>Leucospermum sp.</i>	Shrub	
399	0.4	11	4	<i>Myoporum sp.</i>	Fair Condition, Invasive	3
400	0.4	11	4	<i>Myoporum sp.</i>	Poorcondition, Invasive	3
401	0.8	7	15	<i>Phoenix canariensis</i>	Good Condition	
402	0.46	13	7-8	<i>Ficus sp.</i>	Good Condition	
403	0.7	3.5	10-12	<i>Washingtonia robusta</i>	Good Condition	
404	0.7	3.5	13	<i>Washingtonia robusta</i>	Good Condition	
405	0.3	8	5.5	<i>Ficus sp.</i>	Good Condition	
406	0.5	13	6	<i>Ficus sp.</i>	Good Condition	
407	0.6	9	9-10	<i>Phoenix canariensis</i>	Good Condition	
408	0.5	1.3	6	<i>Ficus sp.</i>	Good Condition	
409	0.95	13	14	<i>Pine sp.</i>	Good Condition	
410	2	8	4.5	<i>Acacia saligna</i>	Poor Condition, Invasive	1b
411	0.5	8	7-8	<i>Fraxinus angustifolia</i>	Poor Condition, Invasive	3
412	0.2	5	4	<i>Fraxinus angustifolia</i>	Poor Condition, Invasive	3
413	0.45	8	8-9	<i>Fraxinus angustifolia</i>	Fair Condition, Invasive	3
414	0.7	11	12	<i>Fraxinus angustifolia</i>	Poor Condition, Invasive	3
415	0.5	10	12	<i>Grevillea striata</i>	Poor Condition, Invasive	3
416	0.51	8	9-10	<i>Ilex sp.</i>	Good Condition	
417	0.9	8	12	<i>Phoenix canariensis</i>	Good Condition	
418	0.5	7	6-7	<i>Fraxinus angustifolia</i>	Poor Condition, Invasive	3
419	MS(0.1)	10	5-6	<i>Schinus terebinthifolius</i>	Good Condition, Invasive	3
420	0.33	8	8-9	<i>Ceratonia siliqua</i>	Good Condition	
421	0.2	3	7-8	<i>Syzygium paniculatum</i>	Fair Condition, Invasive	3
422	MS(0.25)	4.5	5-6	<i>Callistemon viminalis</i>	Fair Condition, Invasive	3
423	0.21	5.5	4.5	<i>Syzygium cordatum</i>	Good Condition	

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
424	0.21	5.5	4.5	<i>Syzygium cordatum</i>	Good Condition	
425	0.25	9.5	7-8	<i>Celtis sp.</i>	Good Condition	
426	MS(0.95)	9.5	5-6	<i>Ceratonia sp.</i>	Fair Condition	
427		5.5	2	<i>Leucospermum sp.</i>	Poor Condition	
428		8	3	<i>Protea sp. Cluster</i>	Fair Condition	
429	MS(1.2)	4.5	4.5	<i>Myoporum sp.</i>	Poor Condition, Invasive	3
430	2.7	10	6	<i>Eucalyptus sp.</i>	Poor Condition	
431	MS(1.2)	9.5	15	<i>Brachylaena discolor</i>	Fair Condition	
432	0.3	5	8-9	<i>Kiggelaria africana</i>	Good Condition	
433	0.27	5	5	<i>Erythrina sp.</i>	Good Condition	
434	1.2	8	14	<i>Phoenix canariensis</i>	Good Condition	
435		12	5-6	<i>Schinus terebinthifolius x 2</i>	Fair Condition, Invasive	3
436	0.45	8	6-7	<i>Ceratonia siliqua</i>	Good Condition	
437	MS(0.5)	5	6-7	<i>Morus alba</i>	Fair Condition, Invasive	3
438	0.55	11	9-10	<i>Pine sp.</i>	Fair Condition	
439	0.7	8	7-8	<i>Phoenix canariensis</i>	Fair Condition	
440	0.6	5	10	<i>Phoenix canariensis</i>	Fair Condition	
441	1.1	14	13-14	<i>Quercus ruber</i>	Good Condition	
442	0.7	9	10-12	<i>Schinus terebinthifolius</i>	Good Condition, Invasive	3
443	0.35	9	9-10	<i>Castania sativa</i>	Good Condition	
444	MS(0.6)	9	6-7	<i>Schinus terebinthifolius</i>	Fair Condition	3
445	MS(0.7)	12	7-8	<i>Searsia pendulina</i>	Good Condition	
446	0.37	10	10-11	<i>Melia azedarach</i>	Good Condition, Invasive	3
447		5	10	<i>Strelitzia Nicolai</i>	Fair Condition	
448	9	10	10	<i>Eucalyptus sp.</i>	Poor Condition, Invasive	
449	0.25	7	4.5	<i>Brachylaena discolor</i>	Poor Condition	
450	1	4	9-10	<i>Phytolacca dioica</i>	Poor Condition, Invasive	3
451	0.25	4.5	4	<i>Schinus terebinthifolius</i>	Fair Condition, Invasive	3
452	0.6	14	9-10	<i>Ficus macrocarpa</i>	Fair Condition	
453	1	7-8	9-10	<i>Eucalyptus sp.</i>	Fair Condition	
454	0.4	9-10	10-12	<i>Ficus macrocarpa</i>	Good Condition	
455		5	6	<i>Eucalyptus sp.</i>	Poor Condition	
456	1	16	10-12	<i>Ficus macrocarpa</i>	Good Condition	
457	0.7	7	5	<i>Phoenix canariensis</i>	Good Condition	
458		10	12	<i>Celtis sp., Syzygium paniculatum, Syzygium cordatum, Conifers sp</i>	Cluster, Invasive	3
459	0.3	6	6	<i>Metrosideros excelsa</i>	Good Condition, Invasive	3
460	1	10	5.5	<i>Schinus terebinthifolius</i>	Fair Condition, Invasive	3
461	0.37	13	10	<i>Syzygium guineense</i>	Good Condition	
462	0.5	13	11	<i>Ficus sp.</i>	Good Condition	
463	0.1-0.3		±4-5	<i>Ceratonia siliqua , *Schinus terebinthifolius, Yucca sp., Morus alba,</i>	Cluster Canopy	
464	9	9	3	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
465	0.16	4	4	<i>Eriobotrya japonica</i>	Good Condition, Invasive	3
466	0.18	7	6	<i>Eriobotrya japonica</i>	Fair Condition, Invasive	3
467	MS(0.25)	13	4.6	<i>Dovyalis caffra x 4</i>	Good Condition	
468	0.9	13	14-15	<i>Eucalyptus sp.</i>	Good Condition	
469	MS(0.5)	8	9-10	<i>Unknown</i>	Fair Condition	
470	MS(3)	1.3	11-12	<i>Phytolacca dioica</i>	Good Condition, Invasive	3
471	0.8	16	13	<i>Pinus pinea x 4</i>	Poor Condition	
472	0.9	9	12	<i>Ceratonia siliqua</i>	Poor Condition	
473	2.1	17	19+	<i>Ficus sp.</i>	Good Condition	
474	1	7	17	<i>Phoenix canariensis</i>	Good Condition	
475	0.2	13	8-9	<i>Harpephyllum caffrum sp., Persea Americana , Prunus persica x2</i>	Fair Condition	
476	0.3	22		<i>Kiggelaria Africana, Brachylaena sp., Persea americana x2, Citharexylum spinosum</i>	Good Condition	
477	0.2	6	7-8	<i>Afrocarpus falcatus</i>	Fair Condition	
478	0.27	8	8-9	<i>Ficus benjamina</i>	Good Condition	
479	0.6	10	9-10	<i>Kiggelaria africana</i>	Good Condition	
480	0.3	8	8-9	<i>Eriobotrya japonica</i>	Good Condition, Invasive	3
481	0.25	4	6	<i>Prunus persica</i>	Fair Condition	
482	MS(0.5)	6	8-9	<i>Kiggelaria africana</i>	Fair Condition	
483	1	4	8-9	<i>Strelitzia Nicolai</i>	Good Condition	
484	0.3	5	5-6	<i>Ficus benjamina</i>	Fair Condition	

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
485	0.24	9	10-11	<i>Harpephyllum sp.</i>	Good Condition	
486	0.37	4	8-9	<i>Olea sp.</i>	Good Condition	
487	0.4	9	10-11	<i>Acacia galpinii</i>	Fair Condition	
488	MS(0.5)	6	4-5	<i>Prunus persica</i>	Good Condition	
489	MS(0.5)	6	4-5	<i>Olea sp.</i>		
490	0.8	8	9	<i>Phytolacca dioica</i>	Enlarged base, Invasive	3
491				<i>Ficus elastica</i>		
492	0.4	12	6-7	<i>Morus alba</i>	Fair Condition, Invasive	3
493	0.17	4.5	6	<i>Eriobotrya japonica</i>	Good Condition, Invasive	3
494	0.2	4.5	7	<i>Celtis sp.</i>	Good Condition	
495	MS(1)	5	6	<i>Olea sp.</i>	Good Condition	
496	MS(0.8)	5	6	<i>Prunus dulcis</i>	Fair Condition	
497	MS(1)	5	5.5	<i>Persea americana</i>	Fair Condition	
498	0.4	5	5.5	<i>Prunus dulcis</i>	Fair Condition	
499	0.2	3	4.5	<i>Prunus dulcis</i>	Fair Condition	
500	0.2	5	5	<i>Ficus carica</i>	Fair Condition	
501	0.3	4	4.5	<i>Mangifera indica</i>		
502	0.38	9	6-7	<i>Acer sp.</i>	Good Condition, Invasive	3
503	0.4	3	6	<i>Searsia pendulina</i>	Fair Condition	
504	0.2	5	8	<i>Celtis sp.</i>	Good Condition	
505	MS(1.4)	6	8	<i>Ilex sp.</i>	Fair Condition	
506	0.4	5	9-10	<i>Eriobotrya japonica</i>	Fair Condition, Invasive	3
507	0.6	6	9-10	<i>Metrosideros excelsa</i>	Good Condition, Invasive	3
508	0.35	8	9-10	<i>Myoporum sp.</i>	Fair Condition, Invasive	3
509	0.26	5	9-10	<i>Myoporum sp.</i>	Good Condition, Invasive	3
510	0.6	7	8	<i>Hibiscus sp.</i>	Fair - Poor Condition	
511	0.35	6	8	<i>Citharexylum spinosum</i>	Fair Condition	
512	0.3	8	8-9	<i>Kiggerlaria africana</i>	Good Condition	
513	0.25	7	8-9	<i>Persea americana</i>	Fair Condition	
514	0.4	8	10-12	<i>Unknown</i>	Good Condition	
515	2.5	6	7	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
516	2.5	6	7	<i>Phytolacca dioica</i>	Fair Condition, Invasive	3
517	1	6	12	<i>Phoenix canariensis</i>	Good Condition	
518	0.14	2.5	3	<i>Ekebergia sp.</i>	Fair Condition	
519	0.58	8	11-12	<i>Pinus sp.</i>	Poor Condition	
520	0.3	6	13	<i>Pinus sp.</i>	Good Condition	
521	0.3	6	10	<i>Pinus sp.</i>	Good Condition	
522	0.3	6	10	<i>Pinus sp.</i>	Fair Condition	
523	0.3	4.5	8-9	<i>Pinus sp.</i>	Fair Condition	
524	0.3	4	10-12	<i>Pinus sp.</i>	Good Condition	
525	0.38	6	13	<i>Pinus sp.</i>	Good Condition	
526	0.3	6	10	<i>Pinus sp.</i>	Poor Condition	
527	0.4	8	10-11	<i>Pinus sp.</i>	Good Condition	
528	0.34	5	12	<i>Pinus sp.</i>	Fair Condition	
529	0.34	5	12	<i>Pinus sp.</i>	Fair Condition	
530	0.3	4.5	11	<i>Pinus sp.</i>	Fair Condition	
531	0.38	4.5	11	<i>Pinus sp.</i>	Poor Condition	
532	0.35	5.5	22	<i>Pinus sp.</i>	Fair Condition	
533	0.38	5	11-12	<i>Pinus sp.</i>	Good Condition	
534	0.45	9.15	12-13	<i>Pinus sp.</i>	Good Condition	
535	0.32	7.5	5-6	<i>Ficus sp.</i>	Good Condition	
536	0.11	2.8	3	<i>Syzygium cordatum</i>	Good Condition	
537	0.3	5	4	<i>Syzygium cordatum</i>	Good Condition	
538	0.12	3	4	<i>Syzygium cordatum</i>	Good Condition	
539	0.12	3	4	<i>Syzygium cordatum</i>	Good Condition	
540	0.26	8	5.5-6	<i>Ficus sp.</i>	Good Condition	
541	0.34	8	5.5-6	<i>Ficus sp.</i>	Fair Condition	
542	0.38	7	9-10	<i>Eucalyptus ficifolia</i>	Good Condition	
543	0.57	8.5	12-13	<i>Eucalyptus ficifolia</i>	Poor Condition	
544	0.34	9	7	<i>Eucalyptus ficifolia</i>	Good Condition	
545	0.36	8	7-8	<i>Melia azedarach</i>	Fair Condition, Invasive	3

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
546	0.38	5	07-Jun	<i>Eucalyptus sp.</i>	Fair Condition	
547	0.4	6	9-10	<i>Eucalyptus sp.</i>	Fair Condition	
548	0.76	15	12-13	<i>Eucalyptus sp.</i>	Good Condition	
549	0.37	8	9-10	<i>Eucalyptus sp.</i>	Fair Condition	
550	0.46	5.5	7-8	<i>Eucalyptus sp.</i>	Fair Condition	
551	0.44	9.5	8-9	<i>Eucalyptus sp.</i>	Good Condition	
552	0.48	10	8-9	<i>Pinus sp.</i>	Poor Condition	
553	0.2-0.35	04-Feb	10+	<i>Pinus sp. x 19</i>	Poor Condition	
554	0.33	4.5	6-7	<i>Eucalyptus sp.</i>	Poor Condition	
555	0.64	12	14+	<i>Pinus sp.</i>	Poor Condition	
556	0.67	11	6	<i>Pinus sp.</i>	Poor Condition	
557	0.4	11	4-5	<i>Celtis sp.</i>	Poor Condition	
558	0.18-0.4	37 (cluster canopy)	8-9	<i>Pinus sp. x22</i>	Poor Condition	
559	0.1-0.3	18 (cluster canopy)	4-5	* <i>Callistemon viminalis x9</i>	Fair Condition, Invasive	3
560	0.3	9	5-6	<i>Ficus sp.</i>	Good Condition	
561	0.25	13	4	<i>Searsia pendulina</i>	Fair Condition	
562	0.7	12	13-14	<i>Populus sp.</i>	Fair Condition, Invasive	2
563	0.35	6.5	7-8	<i>Eucalyptus</i>	Fair Condition	
564	0.14	4.5	4.5-5	<i>Metrosideros excelsa</i>	Fair Condition, Invasive	3
565	0.14	4.5	4.5-5	<i>Metrosideros excelsa</i>	Fair Condition, Invasive	3
566	0.14	4.5	4.5-5	<i>Metrosideros excelsa</i>	Fair Condition, Invasive	3
567	0.1	1.8	2	<i>Metrosideros excelsa</i>	Fair Condition, Invasive	3
568	0.14	4	3	<i>Metrosideros excelsa</i>	Fair Condition, Invasive	3
569	0.1	2	2.5	<i>Metrosideros excelsa</i>	Fair Condition, Invasive	3
570	0.28	10	9-10	<i>Quercus sp.</i>	Fair Condition	
571	0.28	10	9-10	<i>Quercus sp.</i>	Poor Condition	
572			2.5	<i>Nerium oleander (Cluster)</i>	Fair Condition, Invasive	1b
573	0.28	10	9-10	<i>Quercus sp.</i>	Poor Condition	
574	0.28	10	9-10	<i>Quercus sp.</i>	Poor Condition	
575	0.28	10	9-10	<i>Quercus sp.</i>	Fair Condition	
576				<i>Quercus</i>	Dead	
577	0.37	7	9-10	<i>Pinus sp.</i>	Fair Condition	
578	0.28	6.5	9-10	<i>Pinus sp.</i>	Poor Condition	
579	0.1	3	2-4	<i>Pinus sp. x 9</i>	Poor Condition	
580	0.5	10	9-10	<i>Pinus sp.</i>	Fair Condition	
581	0.57	12	8-9	<i>Pinus sp.</i>	Fair- Poor Condition	
582	0.24	7.5	6-7	<i>Pinus sp.</i>	Fair- Poor Condition	
583	0.29	4.5	7-8	<i>Pinus sp.</i>	Poor Condition	
584	0.29	4.5	7-8	<i>Pinus sp.</i>	Poor Condition	
585	0.32	6.5	5-6	<i>Pinus sp.</i>	Poor Condition	
586	0.69	7	12-13	<i>Pinus sp.</i>	Poor Condition	
587	0.7	7	12-13	<i>Pinus sp.</i>	Poor Condition	
588	0.7	7	12-13	<i>Pinus sp.</i>	Poor Condition	
589	0.25-0.5	27	13-14	<i>Pinus sp. x 11</i>	Poor Condition	
590	1.2	23	13-14	<i>Pinus sp.</i>	Fair Condition	
591	0.47	26	12-13	<i>Pinus sp. x 8</i>	Fair Condition	
592	0.4	11	12	<i>Casuarina cunninghamiana</i>	Fair Condition, Invasive	2
593	0.14-0.4	17	7-11	<i>Casuarina cunninghamiana x 5</i>	Fair Condition, Invasive	2
594	0.4	15	5-9	<i>Casuarina cunninghamiana x 3</i>	Poor Condition, Invasive	2
595	0.45	12	5	<i>Melia azedarach</i>	Poor Condition, Invasive	3
596	0.35	10	7	<i>Conifer sp.</i>	Poor Condition	
597	1.1	10	12	<i>Pinus sp.</i>	Fair Condition	
598	1.1	11	7-8	<i>Pinus sp.</i>	Fair Condition	
599	1.1	10	7-8	<i>Pinus sp.</i>	Poor Condition	
600	0.7	10	9-10	<i>Pinus sp.</i>	Poor Condition	
601	0.8	10	12	<i>Pinus sp.</i>	Poor Condition	
602	1	5	10	<i>Pinus sp.</i>	Poor Condition	
603	0.7	5	10	<i>Pinus sp.</i>	Poor Condition	
604	1	7	10	<i>Pinus sp.</i>	Poor Condition	
605	0.5	5	9	<i>Pinus sp.</i>	Poor Condition	
606	1	10	12	<i>Pinus sp.</i>	Poor Condition	

KEY						
A	B	C	D	E	F	G
PLACE MAKING TREES. MATURE SPECIMENS TO BE POTENTIALLY RETAINED	TREES IN GOOD CONDITION TO BE POTENTIALLY RETAINED	HERITAGE OR CULTURAL TREES OF SIGNIFICANCE BASED ON HISTORICAL SPECIES / LOCATION NEAR HERITAGE BUILDINGS	LISTED PROTECTED TREE REQUIRES PERMIT TO BE REMOVED	INVASIVE SPECIES	TREE SPECIES THAT COULD BE TRANSPLANTED OR REMOVED	TREES TO BE REMOVED
SS = Split stem						
MS = Multi stem						
No	Dia (m)	Canopy (m)	Height (m) Est.	Species	Status	Color
607	1	10	12	<i>Pinus sp.</i>	Fair Condition	
608	1	13	5-6	<i>Pinus sp.</i>	Good Condition	
609	1	13	5-6	<i>Pinus sp.</i>	Good Condition	
610	0.8	9	12	<i>Pinus sp.</i>	Poor Condition	
611	0.8	9	12	<i>Pinus sp.</i>	Fair Condition	
612	1.2	14	12	<i>Pinus sp.</i>	Fair Condition	
613	0.8	11	13	<i>Pinus sp.</i>	Fair Condition	
614	0.8	11	13	<i>Pinus sp.</i>	Fair Condition	
615	1	11	12	<i>Eucalyptus sp.</i>	Fair Condition	
616	1.2	15+	14	<i>Eucalyptus sp.</i>	Poor Condition	
617	0.9	7	9	<i>Pinus sp.</i>	Fair Condition	
618	0.8	9	12	<i>Pinus sp.</i>	Fair Condition	
619	0.5	9	12	<i>Pinus sp.</i>	Fair Condition	
620	0.7	9	12	<i>Pinus sp.</i>	Fair Condition	
621	0.3-5	15	10	<i>Pinus sp. x 7</i>	Fair Condition	
622	0.4	16	11	<i>Pinus sp. x 4</i>	Fair Condition	
623	0.8	10	13	<i>Pinus sp.</i>	Fair Condition	
624	1.2	10	14	<i>Pinus sp.</i>	Fair Condition	
625	1.2	10	14	<i>Pinus sp.</i>	Fair Condition	
626	0.8	10	14	<i>Pinus sp.</i>	Fair Condition	
627	0.4	9	7	<i>Conifer sp.</i>	Poor Condition	

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
1. G		<i>Plumeria sp.</i>	0.2	2	3	Multi stem, windblown, fair condition
2. G		<i>Ekebergia capensis</i>	0.25	3	5	Good condition, slightly leaning.
3. G		<i>Ekebergia sp.</i>	0.25	3	3.5	Stunted slightly leaning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
4. G		<i>Platanus x acerfolia</i>	0.8	13	10+	Split stem, heavy leaning, wind blown
5. C		<i>Pinus sp.</i>	1.2	11	11	Split stem, mature, very old
6. C		<i>Eucalyptus sp.</i>	1.8	18	20	Mature, very old

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
7. C		<i>Eucalyptus sp.</i>	1.8	19	20	Mature, very old
8. C		<i>Eucalyptus sp.</i>	1.8	19	18	Leaning
9. B		<i>Erythrina sp.</i>	0.4	9	6	Split stem, Good condition, healthy

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
10. G		<i>Celtis sp.</i>	0.1	1.7	2.5	Newly planted, young, healthy
11. G		<i>Celtis sp.</i>	0.1	1.7	2.5	Newly planted, young, healthy
12. G		<i>Erythrina sp.</i>	0.15	3	2.5	Newly planted, young, healthy

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
13. G		<i>Celtis sp.</i>	0.1	3	2.5	Young, newly planted
14. G		<i>Celtis sp.</i>	0.1	2	2	Young, newly planted
15. D		<i>Afrocarpus falcatus</i>	0.1	1	1	Shrub size

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
16. F		<i>Aloidendron barberae</i>	0.3	2.5	4.5	Focal element
17. G		<i>Syzygium cordatum</i>	0.35	6	7	Diseased, old
18. E		<i>Eriobotrya japonica</i>	7	6	0.7	Split stem, invader, Mature, Dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
19. E		<i>Eriobotrya japonica</i>	0.1	2.5	2	Healthy, young.
20. B		<i>Tarchonanthus camphoratus</i>	0.35	12	7	Mature, healthy, dead wood.
21. B		<i>Salix capensis</i>	0.2	5	5	Twining stem, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
22. A		<i>Syzygium guineense</i>	0.8	11	9	Mature, old, multi stem
23. E		<i>Schinus terebinthifolius</i>	0.9	14	6	Multi stem, mature.
24. B		<i>Olea europea subsp. Africana</i>	0.35	4	8	mature, very old, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
25. B		<i>Olea sp.</i>	0.8	10	7	Spreading, requires pruning
26. G		<i>Searsia pendulina</i>	1	17	7-8	Spreading canopy
27. B		<i>Quercus suber</i>	0.3	9	8	Good condition, healthy

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
28. E		<i>Phytolacca dioica</i>	4	12	8-9	Invasive, Good condition
29. G		-Unknown shrub - <i>Virgilia oroboides</i>	MS	5	4	cluster, healthy
30. G		<i>Tarchonanthus camphoratus</i> - <i>Syzygium guineense</i> - <i>Searsia pendulina</i> - <i>Celtis</i> sp.				

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
31. D		<i>Sideroxylon inerme</i>	0.8	5	5	Split stem, broken, damaged, Poor cond.
32. G		<i>Tarchonanthus camphoratus</i>	MS	8	5	Hedge, Spreading, damaged.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
33. E		<i>Phytolacca dioica</i>	1.2	9	9	Exposed roots, Good condition, Invader
34. E		<i>Phytolacca dioica</i>	1	4	6	Exposed roots, Multi stem, split stem
35. E		<i>Phytolacca dioica</i>	7	15	10	Exposed roots, Mature, healthy, invader.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
36. E		<i>Phytolacca dioica</i>	MS(3)	6	5	Exposed roots, Invader
37. B		<i>Searsia pendulina</i>	MS (0.8)	11	5	Raised roots, Fair condition, Spreading
38. E		<i>Melia azedarach</i>	1.2	10	8	Poor condition, Windblown, dead wood.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
39. E		<i>Schinus terebinthifolius</i>		8	4	cluster
40. A		<i>Ficus sp.</i>	1.7	19	10	Spreading, very healthy
41. F		<i>Ficus sp.</i>	11	13	9	Leaning over

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
42. E		<i>Phytolacca dioica</i>	MS (1)	2.5	3.5	Exposed roots, Damaged, invader
43. E		<i>Phytolacca dioica</i>	2	7	7	Exposed roots, Damaged, invader
44. E		<i>Phytolacca dioica</i>	2	7	6	Exposed roots, Damaged, invader

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
45. E		<i>Phytolacca dioica</i>	1.5	7	5	Exposed roots, Damaged, invader
46. E		<i>Phytolacca dioica</i>	1.6	7	6	Exposed roots, Damaged, invader
47. E		<i>Phytolacca dioica</i>	2.5	11	5	Exposed roots, Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
48. E		<i>Phytolacca dioica</i>	2	8	5	Exposed roots
49. E		<i>Phytolacca dioica</i>	3	8	5	Exposed roots, Good condition
50. E		<i>Phytolacca dioica</i>	1.5	8	5	Exposed roots, Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
51. E		<i>Phytolacca dioca</i>	4	8	5	Exposed roots, Exposed root
52. E		<i>Phytolacca dioca</i>	MS (2)	8	5	Exposed roots, Damaged
53. E		<i>Melaleuca quinque x 7</i>	MS (0.3)		4.5	Cluster, diseased

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
54. E		<i>Melaleuca quinque x 4</i>	MS (0.3)		5	Cluster, diseased
55. E		<i>Phytolacca dioica</i>	MS (1.8)	4	7	Exposed roots, fair condition
56. E		<i>Phytolacca dioica</i>	MS (1)	4	7	Exposed roots, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
57. E		<i>Melaleuca quinque</i>	MS (0.1)	4	7	Cluster, diseased
58. E		<i>Melaleuca quinque</i>	MS (0.1)	4	7	Cluster, diseased
59. E		<i>Phytolacca dioica</i>	0.8	3	4.5	Exposed roots, Poor condition, invader

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
60. E		<i>Robinia pseudoacacia</i>	1.1	14	9-10	invader, Poor condition, Damaged
61. E		<i>Phytolacca dioica</i>	0.8	3	8	Exposed roots, Poor condition
62. E		<i>Phytolacca dioica</i>	3.5	10	11	Exposed roots

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
63. E		<i>Phytolacca dioica</i>	1.5	5.5	9-10	Exposed roots, Poor condition, Damaged
64. B		<i>Eucalyptus conferruminata</i>		17	10	Poor condition, old, spreading
65. A		<i>Ekebergia sp.</i>	0.8	12	9-10	Old, mature, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
66. F		<i>Phoenix sp.</i>	1	9	6	Clear stem, Good condition
67. B		<i>Eucalyptus sp.</i>	0.8	9	10	Good condition
68. B		<i>Ekebergia sp.</i>	0.5	10	8	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
69. B		<i>Eucalyptus sp.</i>	0.8	5	11	Mature, Good condition, Dead wood
70. E		<i>Phytolacca dioica</i>	0.8	7	10	Good condition, slightly leaning.
71. E		<i>Phytolacca dioica</i> USE OTHER PIC	2	11	12	Exposed roots

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
72. E		<i>Phytolacca dioica</i>	2.1	11	3	Exposed roots, spreading canopy, mature
73. E		<i>Phytolacca dioica</i>	0.4	4.5	9	Exposed roots, slender, good condition
74. E		<i>Phytolacca dioica</i>	4.5	12	14	Exposed roots, cluster, mature, Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
75. E		<i>Phytolacca dioica</i>	MS (1)	5	13	Exposed roots, Fair condition, dead wood
76. E		<i>Phytolacca dioica</i>	2	9	13	Exposed roots, good condition
77. E		<i>Phytolacca dioica</i>	2.2	15	14	Exposed roots, spreading canopy, mature

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
78. F		<i>Ficus natalensis</i>	MS (1)	13.5	9-10	Fair condition, requires pruning
79. B		<i>Ceratonia siliqua</i>	0.25	5	5.5	Fair condition, dead wood, needs pruning
80. B		<i>Olea sp.</i>	0.3	4.5	5	Windblown, leaning, fair condition, Requires pruning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
81. B		<i>Olea sp.</i>	MS (0.4)	4	5	Requires pruning
82. G		<i>Unknown</i>	0.3	6	5	Split stem, dead wood, requires pruning
83. G		<i>Unknown</i>	MS (0.5)	8	6	spreading, fair condition, requires pruning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
84. G		<i>Olea sp.</i>	0.15	2.5	3-4	Big shrub, fair condition
85. G		<i>Unknown</i>	0.15	2.5	3	Poor condition, requires pruning
86. B		<i>Olea sp.</i>	0.2	5	4.5	Shrub, fair condition, requires pruning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
87. E		<i>Melia azadarach</i>	0.8	10	12	
88. B		<i>Dovyalis caffra</i>	0.2	6.5	4.5	Shrub, Good condition. Mature
89. E		<i>Melia azedarach</i>	0.8	7	12	Cluster, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
90. E		<i>Melia azedarach</i>	1	7	12	Cluster, Upright, Slender, Fair condition
91. E		<i>Melia azedarach</i>	1.5	10	12	Cluster
92. B		<i>Syzygium cordatum</i>	0.35	5	10	Blown over, fair condition.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
93. G		<i>Prunus dulcis</i>	0.3	5	4-5	Mature, fair condition, fruiting, requires pruning
94. G		<i>Prunus dulcis</i>	0.2	4.5	4	Mature, fair condition, fruiting, requires pruning
95. G		<i>Rosa canina</i>		2	7	Mature, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
96. B		<i>Syzygium cordatum</i>	0.4	9	10	Fair condition, requires pruning
97. F		<i>Phoenix reclinata</i>	MS (1.1)	4	4	Poor condition
98. G		<i>Citharexylum spinosum</i>	MS (1)	2	4	Cluster, poor condition.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
99. E		<i>Callistemon viminalis</i>	0.4	5	10	Split stem
100. E		<i>Callistemon viminalis</i>	0.5	5	10	Split stem
101. E		<i>Callistemon viminalis</i>	0.6	5	10	Split stem

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
102. A		<i>Trichilia emetica</i>	0.4	10	13	Leaning stem, good condition
103. G		<i>Tarchonanthus camphoratus</i>	0.2	5	4	Leaning stem, spreading
104. E		<i>Melia azedarach</i>	0.3	5	4	Fair condition, untidy, shrubs

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
105. G		<ul style="list-style-type: none"> -<i>Eriobotrya japonica</i> -<i>Citharexylum spinosum</i> -<i>Liquidambar styraciflua</i> -<i>Schinus terebinthifolius</i> -<i>Persea americana</i> 	Cluster	7	4-5	Poor condition, shrubs
106. E		<i>Melia azedarach</i>	0.45	5	9	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
107. G		<i>Citharexylum spinosum</i>	MS (0.8)	3.5	4.5	Poor condition, shrub
108. F		<i>Phoenix canariensis</i>	1	2	2	Clear stem, few branches, poor conditions
109. G		<i>Citharexylum spinosum</i>	MS (1)	4	4.5	Poor condition, shrubs.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
110. E		<i>Acacia saligna</i>	0.45	9	9	Leaning, invader
111. G		<i>Celtis sp. #1</i>	0.25	4	5.2	Big leaves
112. G		<i>Celtis sp. #2</i>	0.26	4	5.3	Small leaves

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
113. G		<i>Tarchonanthus camphoratus</i>	0.7	4	5.5	Spreading, fair condition
114. F		<i>Ficus sp.</i>	MS (1)	5	6.5	Fair condition
115. G		- <i>Solanum</i> - <i>Plumeria</i> <i>sp.</i> - <i>Tecoma capensis</i> - <i>Yucca gigantea</i>	Cluster	±3		

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
116. G		<i>Yucca gigantea</i>	MS		3	cluster, fair condition
117. G		<i>Tarchonanthus camphoratus</i>	0.35	7	10	mature, fair condition, requires pruning
118. B		<i>Kiggerlaria africana</i>	0.5	9	12	Split stem

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
119. B		<i>Erythrina sp.</i>	MS	4.5	5.5	Good condition
120. B		<i>Harpephyllum</i>	MS (1)	10	11	Spreading canopy, good condition
121. E		<i>Acacia saligna</i>	0.4	11	9	Leaning, invader, Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
122. B		<i>Kiggerlaria africana</i>	0.4	5	9	Split stem, Good condition, healthy
123. F		<i>Phoenix canariensis</i>	1.5	7	15	Clear stem, Good condition, requires prune
124. G		<i>Ceratonia siliqua</i>	0.5	4	5	Multi stem, leaning, heavily pruned, mature

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
125. G		<i>Ceratonia siliqua</i>	0.3	5	6	Wind blown, leaning, dead wood, fair condition
126. G		<i>Brachylaena discolor</i> x 6	0.4	15	5	Multi stem, clustered, leaning, wind blown
127. G		<i>Syzygium cordatum</i> x 3	0.5	10	5	Split stem, wind blown, dead wood, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
128. F		<i>Ficus sp.</i>	2	19	10+	Spreading canopy, good condition
129. F		<i>Ficus macrocarpa</i>	0.3	4	8	Supressed growth, fair condition
130. F		<i>Ficus nataliensis</i>	0.6	9	10+	Damaged, dead wood, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
131. G		<i>Brachylaena discolor</i>	MS (1)	9	5	Mature, good condition
132. F		<i>Ficus macrocarpa</i>	0.35	10	9	Damaged, dead wood, Supressed growth
133. F		<i>Ficus macrocarpa</i>	0.4	10	9	Damaged, dead wood, Supressed growth,

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
134. G		<i>Brachylaena</i>	6.2	4	5	Fair condition, leaning
135. E		<i>Callistemon viminalis</i>	0.3	5.5	9	Old, damaged, dead wood
136. G		<i>Yucca gigantea</i>				Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
137. G		<i>Unknown</i>	0.5	7	10	Old, dead wood, fair condition
138. G		<i>Kiggerlaria africana</i>	0.4	5	10	Fair condition, dead wood
139. B		<i>Acacia karoo</i>	0.45	10	8.9	Mature, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
140. G		<i>Lagunaria patersonii</i>	0.2	5	7	Dead wood, good condition, requires pruning
141. E		<i>Melia azedarach</i>	0.5	5	10	Fair condition, invader
142. E		<i>Acer negundo</i>	0.6	6	6	Spreading, poor condition, fair condition, dead wood, damaged

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
143. E		<i>Metrosideros excelsa</i>	0.2	5.5	6.5	Fair condition, dead wood
144. D		<i>Afrocarpus falcatus</i>	MS (0.5)	6	6	Spreading, fair condition-good condition
145. E		<i>Callistemon viminalis</i>	(MS)	9	10	Mature, badly pruned, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
146. E		<i>Callistemon viminalis</i>	0.35	7	10	Fair condition, dead wood
147. E		<i>Melaleuca quinquenervia</i>	1	1.3	8-9	Multi stems, mature, spreading, good condition
148. E		- <i>Carrisa sp</i> - <i>Melia azedarach</i> - <i>Eriobotrya japonica</i> - <i>Harpephyllum</i>		9	6	Cluster

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
149. G		<i>Unknown</i>	0.35	8	8-9	Leaning canopy, dead wood, fair-poor condition
150 E		<i>Melia sp.</i>	0.45	6	10-11	Fair condition, invader
151. G		<i>Erythrina sp.</i>	0.25	3	5	Young, healthy

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
152. G		<i>Dombeya rotundifolia</i>	MS (1)	8	3	Shrub
153. E		<i>Schinus molle</i>	0.35	8	4.5-5	Fair condition, mature
154. F		<i>Strelitzia nicolai</i>	MS (3)	7	6	Cluster, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
155. B		<i>Erythrina</i> <i>sp.</i>	0.5	7	9	Split stem, good condition, dead wood
156. E		<i>Schinus</i> <i>terebinthifolia</i>	MS (1)	10	9	Fair condition, invader
157. B		<i>Ekebergia</i> <i>capensis</i>	0.3	8	6	Spreading, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
158. B		- <i>Hibiscus</i> sp. - <i>Kiggerlaria africana</i> - <i>Ekebergia</i> sp.		10	9	Cluster
159. E		<i>Melia azedarach</i>	0.4	9	9-10	Fair condition, invader
160. B		<i>Kiggerlaria africana</i>	0.2	3	7	

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
161. E		<i>Syzygium paniculatum</i>	1.1	10	7-8	Multi stem, spreading, fair condition
162. B		<i>Hibiscus sp.</i>	MS (0.7)	6	5	Fair condition, require pruning
163. E		<i>Acer negundo</i>	0.4	5	7	Poor condition, damage

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
164. G		<i>Syzygium cordatum</i>	0.4	5	8	Good condition
165. E		<i>Eriobotrya japonica</i>	MS (0.3)	8	4.5	Spreading, dead wood, fair condition
166. G		<i>Citharexylum spinosum</i>	MS (0.3)	5	5	Shrub

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
167. G		<i>Kiggerlaria africana</i>	0.3	3	7	Good condition
168. G		<i>Kiggerlaria africana</i>	0.3	3	7	Good Condition
169. G		<i>Kiggerlaria africana</i>	0.3	3	7	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
170. G		<i>Kiggerlaria africana</i>	0.15	1	5	Fair condition, wind blown
171. G		<i>Kiggerlaria africana</i>	MS (0.2)	4	6-7	Good condition
172. G		<i>Unknown</i>	0.4	10	5	Canopy blown over, Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
173. D		<i>Afrocarpus falcatus</i>	0.4	2.5	4	Multi stem, fair condition
174. G		<i>Brachylaena discolor</i>	1	4	3	Multi stem, fair condition
175. E		<i>Melia azedarach</i>	1	16	7	Split stem, large..., good condition, invader

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
176. G		<i>Unknown</i>	0.3	5	9	Leaning
177. G		<i>Brachylaena discolor</i>	MS (1)	11	5	Spreading..., good condition
178. G		<i>Dead</i>				

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
179. B		<i>Syzygium cordatum</i>	0.4	4	8	Split stem, fair condition
180. B		<i>Syzygium cordatum</i>	0.4	4	8	Leaning
181. B		<i>Ekebergia sp.</i>	0.3	10	6	Split stem, fair condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
182. E		<i>Schinus terebinthifolia</i>	1.1	12	9	Dead wood, damaged by pruning, fair condition, invader
183. F		<i>Phoenix canariensis</i>	1	9		Good condition
184. B		<i>Searsia pendulina</i>	1.5	9-10	9-10	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
185. E		<i>Melaleuca viminalis</i>	0.15	4	3	Shrub
186. B		<i>Trichilia emetica</i>	0.3	5	6	Suppress growth, spreading, poor condition
187. A		<i>Searsia pendulina</i>	1.1	14	7	Damaged by pruning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
188. B		<i>Liquidambar styraciflua</i>	0.25	4	5	Fair condition, damaged by pruning
189. A		<i>Searsia pendulina</i>	MS (1)	14	7	Damaged by Pruning
190. A		<i>Syzygium cordatum</i>	0.9	9	10-11	Multi stem, dead wood,

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
191. F		<i>Strelitzia nicolai</i>	1.5	5	1.8	Good condition
192. A		<i>Quercus sp</i>	0.5	6	9-10	
193. B		<i>Erythrina sp</i>	0.25	8	3	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
194. B		<i>Olea sp.</i>	0.3	5	5	Split stem, good condition
195. A		<i>Ficus sp.</i>	1.5	27	12	
196. G		<i>Brachylaena discolor</i>	0.5	13	10-12	Spreading, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
197. F		<i>Ficus sp.</i>		1	10-12	Cluster, suppressed growth
198. B		<i>Kiggerlaria africana</i>	0.3	4	6	Over grown, good condition
199. B		<i>syzygium cordatum</i>	0.4	5	6-7	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
200. B		<i>Searsia pendulina</i>	0.5	9	10-12	Fair condition
201. G		<i>Lagunaria patersonii</i>	0.9	7	10-12	Good condition, slightly suppressed, multi stem
202. G		<i>Tecoma stans</i>	0.8	7	9	Poor condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
203. B		<i>Celtis sp.</i>	0.35	7	6	Good condition, exposed roots
204. F		<i>Phoenix canariensis</i>	1.2	7	14	Good condition
205. C		<i>Phytolacca dioica</i>	2.5	7	12	Exposed roots, poor condition, invader

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
206. E		<i>Casuarina cunninghamiana</i>	0.8	8	13	Invader, poor condition, dead wood,
207. E		<i>Casuarina cunninghamiana</i>	0.8	8	14	
208. G		<i>Dovyalis caffra</i>	3.2	6	8	Over grown, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
209. C		<i>Phytolacca dioica</i>	8	19	12	3 trees growing into each other
210. G		<i>Ceratonia siliqua</i>	1	10	8	Fair condition, leaning over
211. D		<i>Afrocarpus falcatus</i>	0.12	5	6	Untidy growth, damaged by pruning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
212. B		<i>Syzygium cordatum</i>	0.35	7	8	Split stem, good condition
213. C		<i>Quercus sp.</i>	0.5	10	12	Good condition
214. B		<i>Syzygium cordatum</i>	0.4	11	9	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
215. D		<i>Afrocarpus falcatus</i>	MS (0.2)	1.5	2.5	Shrub, poor condition
216. B		<i>Cussonia spicata</i>	0.3	6	12	Good condition
217. D		<i>Afrocarpus falcatus</i>	0.4	7	12	Good condition, split stem

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
218. G		<i>Searsia viminalis</i>	0.4	13	12	Leaning over
219. D		<i>Afrocarpus falcatus</i>	0.4	7	12	No split stem
220. G		<i>Searsia viminalis</i>	MS (0.8)	7	7	Fair condition, dead wood,

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
221. B		<i>Syzygium cordatum</i>	MS (0.9)	12	12	Good condition, spreading canopy
222. B		<i>Syzygium cordatum</i>	0.5	9	12	
223. G		<i>Olea sp.</i>	MS (0.25)	4.5	5.5	Shrub, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
224. G		<i>Brachylaena discolor</i>	MS (0.5)	9	12	Dead wood, fair condition
225. G		<i>Brachylaena discolor</i>		4	5	Over grown, fair condition
226. E		<i>Melia azedarach</i>	0.35	10	12	Good condition, invader

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
227. E		<i>Schinus sp</i>	0.64	10	11	Multi stem, over grown, fair condition
228. B		<i>Macadamia integrifolia</i>	0.22	9	11	Good condition, healthy..
229. G		<i>Lemon eureka</i>	0.1	2.5	4.5	Dead wood, poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
230. G		<i>Prunus persica</i>	0.1	3	5	Split stem, fair condition, fruiting
231. G		<i>Brachylaena discolor</i>	0.16	5	8	Suppressed growth, fair condition
232. G		<i>Prunus persica</i>	0.3	8	6.5	Stem split, fruiting, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
233. E		<i>Schinus molle</i>	0.4	13	9	Good condition
234. B		<i>Harpephyllum sp.</i>	0.1	1	5	Upright, good condition, split stem
235. E		<i>Yucca gigantea</i>	0.24	3	5	Split stem (0.5)

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
236. G		<i>Ceratonia siliqua</i>	0.12	3	5	Leaning, good condition, young
237. C		<i>Phytolacca dioica</i>	7	15	13-14	Exposed roots, mature, good condition, invader
238. B		<i>Syzygium cordatum</i>	MS (0.6)	9	11	Good condition


NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
239. B		<i>Searsia pendulina</i>	0.4	9	10	Spit stem, good condition
240. B		<i>Searsia pendulina</i>	0.4	9	10	Spreading canopy, good condition
241. E		<i>Schinus molle</i>	0.54	7	11	Dead wood, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
242. E		<i>Syzygium paniculatum</i>	0.4	7	11	Split stem, dead wood, fair condition
243. E		<i>Syzygium paniculatum</i>	0.27	8	22-13	Fair condition
244. C		<i>Pine sp.</i>	0.65	12	13	Canopy, dead wood, fair-poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
245. B		<i>Pine sp.</i>	0.4	7	12	Dead wood, good condition
246. A		<i>Ficus microcarpa</i>	W (8)	15	11	Good condition, cluster
247. G			W (11)	11	6	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
248. C		<i>Eucalyptus ficifolia</i>	0.9	15	10	Dead wood, fair condition, mature
249. G		- <i>Strelitzia Nicolai</i> - <i>Citharexylum spinosum</i>		4	8-10	Good condition, cluster
250. E		<i>Morus alba</i>	0.3	6	7	Mature, over grown, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
251. E		<i>Yucca gigantea</i>	0.4	1.5	6	Good condition
252. E		<i>Yucca gigantea</i>	0.4	1.5	6	Good condition
253. C		<i>Eucalyptus sp.</i>	0.4	10	10	Dead wood, mature, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
254. G		<i>Eucalyptus sp.</i>	0.8	6	10	Half dead, poor condition
255. G		<i>Eucalyptus sp.</i>				
256. C		<i>Eucalyptus sp.</i>	MS (1)	12	15	Split stem(1), dead wood, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
257. B		<i>Pine sp.</i>	0.6	5	9	Leaning stem, dead wood, poor condition
258. B		<i>Pine sp.</i>	0.8	7	10	Fair condition, dead wood
259. B		<i>Pine sp.</i>	0.34	10	12	

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
260. G		<i>Pine sp.</i>	0.4	7	9	Blown over, poor condition, dead wood
261. G		<i>Pine sp.</i>	0.36	6	9	
262. C		<i>Eucalyptus ficifolia</i>	MS (1)	13	14	Good condition, matures

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
263. C		<i>Eucalyptus ficifolia</i>	0.96			
264. C		<i>Eucalyptus ficifolia</i>	0.8	12	10	Split stem, dead wood, poor condition
265. C		<i>Eucalyptus ficifolia</i>	0.6	5	9	Bad condition, dead wood, poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
266. C		<i>Eucalyptus ficifolia</i>	0.35	6	9	Leaning stem, good condition
267. F		<i>Phoenix canariensis</i>	1.5	9	8	1.5 clear stem, good condition
268. C		<i>Eucalyptus sp.</i>	0.5	10	9	Fair condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
269. F		<i>Phoenix sp.</i>	1.2	8	5	Good condition
270. B		<i>Pine sp.</i>	0.3	9	10	Good condition
271. C		<i>Pine sp.</i>	0.8	17	9-10	Dead wood, canopy blown over

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
272. C		<i>Pine sp.</i>	0.68	12	9-10	
273. C		<i>Eucalyptus sp.</i>	1.6	17	13	Mature, good condition
274. C		<i>Pine sp.</i>	1.2	17	12	Split stem, mature, dead wood, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
275. E		<i>Callistemon sp.</i>	0.9	8	4	Fair-good condition
276. E		<i>Callistemon sp.</i>	MS (0.37)	4	2.5	
277. B		<i>Ceratonia siliqua</i>	MS (1.3)	11	7-8	Fair-good condition,

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
278. E		<i>Callistemon sp.</i>	MS (1)	6	3	Old, damaged, windblown, poor condition
279. F		<i>Ficus sp .</i>	MS (1)	6	3	Leaning over, dead wood, good condition
280. C		<i>Eucalyptus sp.</i>	0.75	13	13-14	Dead wood, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
281. G		<i>Eucalyptus sp.</i>	0.45	11	7	Dead wood,
282. C		<i>Eucalyptus sp.</i>	0.9	12	10-12	Dead wood
283. C		<i>Eucalyptus ficifolia.</i>	0.9	8	10-12	Exposed roots, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
284. G		<i>Eucalyptus ficifolia</i>	0.9	11	9	Split stem(1-5), good condition, dead wood
285. G		<i>Persea americana.</i>	0.12	2	4.5	Fair condition
286. G		<i>Ceratonia siliqua</i>	0.25	7	8	Poor condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
287. A		<i>Pine sp.</i>	0.66	14	10-12	Mature, dead wood, poor condition
288. G		<i>Agonis flexuosa</i>	MS (1)	4.5	5-6	Poor condition,
289. E		<i>Melia azedarach</i>	MS (0.9)	7	5	Invader, poor conditions

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
290. E		<i>Fraxinus angustifolia</i>	MS (0.75)	8	4.8	Poor condition
291. E		<i>Fraxinus angustifolia</i>	0.6	1.7	3-4	Poor condition, damaged
292. G		<i>Dombeya rotundifolia</i>	0.3	4	3-4	Fair condition, damaged

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
293. E		<i>Fraxinus angustifolia</i>	MS (1.4)	6	7-8	Fair condition, damaged by pruning
294. E		<i>Fraxinus angustifolia</i>	0.6	5	5-6	Poor condition, dead wood
295. E		<i>Fraxinus angustifolia</i>				

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
296. E		<i>Acer sp.</i>	0.3	5	5-6	Poor condition, damaged by pruning
297. G		<i>Grevillea striata</i>	0.9	14	9-10	Split stem, spreading canopy, poor condition, dead wood,
298. G		<i>Unknown sp.</i>	0.55	7	5	Poor condition, damaged by pruning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
299. E		<i>Fraxinus angustifolia</i>	MS (0.6)	9	8-9	Fair condition, dead wood,
300. G		<i>Unknown</i>	0.5	3	5-6	Poor condition, half dead, remove
301. F		<i>Ficus elastica</i>	MS (0.6)	9	7	Fair condition, wind damage

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
302. F		<i>Phoenix canariensis</i>	1	7	4	0.7 clear stem
303. F		<i>Phoenix canariensis</i>	1	7	4	0.7 clear stem
304. E		<i>Syzygium paniculatum</i>	0.38	9	11	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
305. G		<i>Hibiscus sp.</i>	0.4	4	4.5	Mature shrub, fair condition
306. E		<i>Phytolacca dioica</i>	3	12	10-12	Exposed roots, invader
307. F		<i>Phoenix canariensis</i>	1.3	9	12	Clear stem(1m), good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
308. F		<i>Phoenix canariensis</i>	0.29	2.5	2.5	Good condition, young
309. A		<i>Quercus sp.</i>	0.4	11	8-9	Good condition
310. A		<i>Quercus sp.</i>	0.4	13	8-9	

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
311. B		<i>Quercus sp.</i>	0.4	14	8-9	
312. C		<i>Eucalyptus sp.</i>	1.1	8	10-12	Poor condition, dead wood, enlarged base
313. C		<i>Eucalyptus sp.</i>	1.1	10	10-12	Split stem, dead wood, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
314. C		<i>Eucalyptus sp.</i>	1.1	10	10-12	Fair condition, dead wood
315. C		<i>Eucalyptus sp.</i>	1.5	10	10-12	
316. C		<i>Eucalyptus sp.</i>	MS (1.9)	17	10-12	Poor condition-fair condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
317. C		<i>Eucalyptus sp.</i>	MS (2)	12		
318. C		<i>Eucalyptus sp.</i>	MS (1.6)	10	10-12	
319. F		<i>Ficus sp.</i>	MS (0.7)	11	9-10	Split stem(0.5), good condition, spreading canopy

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
320. F		<i>Ficus sp.</i>	0.7	12		
321. A		<i>Ficus sp.</i>	1.1	24		Exposed roots, good condition
322. A		<i>Ficus sp.</i>	0.3	11	6	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
323. A		<i>Ficus sp.</i>	0.6	11	8	Good condition
324. B		<i>Ekebergia sp.</i>	0.25	6	7	Good condition
325. G		<i>Ekebergia sp.</i>	0.2	4	4.5	Stunted growth,

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
326. F		<i>Ficus sp.</i>	0.38	7	6-7	Split stem(0.5), good condition
327. F		<i>Ficus sp. x2</i>	1.2	8	10	Good condition
328. A		<i>Ficus microcarpa</i>	1.3	2.5	10	Good condition, spreading canopy

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
329. D		<i>Afrocarpus falcatus</i>	0.2	5.5	4	Good condition, damaged
330. G		<i>Brachylena discolor</i>	0.45	6	6	Fair condition, windblown, dead wood
331. F		<i>Phoenix canariensis</i>	1.1	11	9	2.2 clear stem, good condition, requires pruning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
332. A		<i>Ficus sp.</i>	0.85	10	12-	Good condition, spreading canopy, exposed roots
333. A		<i>Ficus sp.</i>	0.85	10	12-	Good condition, spreading canopy, exposed roots
334. A		<i>Ficus sp.</i>	0.85	10	12-	Good condition, spreading canopy, exposed roots

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
335. G		<i>Yucca gigantea</i>	1.5	3.5	10	Enlarged base, very tall yaccu
336. C		<i>Ekebergia sp.</i>	1.1	23	10	Massive spreading crown, dead wood, good condition
337. G		<i>Brachylaena discolor</i>	MS (0.8)	7	8	Fair condition-poor condition dead wood, requires pruning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
338. A		<i>Ficus natalensis</i>	0.8	13	10	Good condition
339. G		<i>Dais cotinifolia</i>	0.2	4	7	Poor condition, stunted growth
340. E		<i>Schinus terebinthifolius</i>	NS (1)	12	9	Twinning stem, good condition, invader

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
341. E		<i>Phytolacca dioica</i>	5	13	10-11	Enlarged base, good condition, invader
342. G		<i>Kiggerlaria africana</i>	MS (0.5)	3.5	7-8	Fair condition, damaged by pruning
343. F		<i>Ficus natalensis</i>	0.43	9	8-9	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
344. F		<i>Ficus microcarpa</i>	0.22	5	7-8	Good condition, suppressed growth
345. F		<i>Ficus sp.</i>	0.5	11	9-10	Good condition
346. F		<i>Ficus sp.</i>	0.5	11	9-10	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
347. F		<i>Ficus sp.</i>	0.7	10	10-11	Leaning stem, good condition
348. F		<i>Ficus sp.</i>	0.7	10	10-11	Good condition
349. F		<i>Ficus sp.</i>	0.24	4	6	Suppressed growth, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
350. F		<i>Ficus sp.</i>	0.44	7	8-9	Fair condition
351. F		<i>Phoenix canariensis</i>	1.1	8	10	Clear stem(4), good condition, branches on the building
352. A		<i>Kiggerlaria africana</i>	1.1	12	11-12	Spreading, good condition, mature

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
353. E		<i>*Melia azedarach</i>	1.2	12	12-13	Enlarged base, mature, dead wood, good condition
354. F		<i>Ficus sp.</i>	0.43	18	10-12	Good condition
355. A		<i>Ficus sp.</i>	0.55	23	10-12	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
356. F		<i>Ficus sp.</i>	0.44	15	9-10	Good condition
357. A		<i>Ficus sp.</i>	0.44	15	9-10	Good condition, slightly suppressed
358. E		<i>Myoporum sp.</i>	1	9	6	Leaning stem, fair condition, dead wood, mature

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
359. F		<i>Washingtonia robusta</i>	0.5	5	14	Good condition, clear stem(10m)
360. F		<i>Washingtonia robusta</i>	0.5	5	14	Good condition,
361. G		<i>Prunus sp.</i>	0.17	3	4	Mature, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
362. A		<i>Eucalyptus</i>	0.55	5	14	Good condition
363. A		<i>Eucalyptus</i> X2	1	5	14	Fair condition
364. C		<i>Phoenix canariensis</i>	1.1	10	16	Stem covered with ivy, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
365. F		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition
366. F		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition
367. F		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
368. F		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition
369. F		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition
370. C		<i>Phoenix canariensis</i>	1.1	6	16	Very good condition, clear stem (10m)

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
371. C		<i>Eucalyptus ficifolia</i>	1.2	21	12-13	Mature, Spreading canopy, good condition
372. C		<i>Eucalyptus ficifolia</i>	0.68	6.5	9-10	Split stem(1), suppressed growth, poor condition, dead wood
373. C		<i>Eucalyptus ficifolia</i>	0.6	6	7-8	Dead wood, mature, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
374. A		<i>Ficus sp.</i>	MS (0.5)	10	7-8	Good condition
375. C		<i>Eucalyptus ficifolia</i>	1.25	19	11-12	Spreading canopy, mature, leaning
376. C		<i>Eucalyptus ficifolia</i>	1	13	11-12	Mature, good condition, disease

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
377. C		<i>Eucalyptus ficifolia</i>	1.1	18	11-12	Good condition, mature
378. C		<i>Eucalyptus sp.</i>	0.8	16	10-12	Good condition, mature
379. C		<i>Phoenix canariensis</i>	0.8	18	15-16	Clear stem(10), good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
380. C		<i>Ekebergia sp.</i>	0.6	15	7-8	Good condition, spreading canopy
381. C		<i>Phoenix canariensis</i>	0.6	16	15-16	Clear stem(10) good condition
382. C		<i>Araucaria Sp.</i>	1	9	12	Poor condition, stunted growth, windblown

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
383. B		<i>Eucalyptus sp.</i>	0.3	4	6	Enlarged base, poor condition, windblown
384. B		<i>Eucalyptus sp.</i>	0.3	4	6	Enlarged base, poor condition, windblown
385. B		<i>Eucalyptus sp.</i>	0.3	4	6	Enlarged base, poor condition, windblown

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
386. E		<i>Myoporum sp.</i>	0.2	2.5	3.5	Poor condition, stunted growth
387. F		<i>Strelitzia nicolai</i>		2.5	4.5	Good condition, cluster
388. A		<i>Ficus sp.</i>	0.4	11	7-8	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
389. B		<i>Eucalyptus sp.</i>	0.3	4	6	Poor condition, windblown
390. B		<i>Eucalyptus sp.</i>	0.3	4	6	Poor condition, windblown
391. B		<i>Eucalyptus sp.</i>	0.3	4	6	Poor condition, windblown

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
392. B		<i>Eucalyptus sp.</i>	0.3	4	6	Poor condition, windblown
393. E		<i>*Phytolacca dioica</i>	1.7	4	9	Enlarged base
394. G		<i>Hibiscus sp.</i> <i>Tecoma stans</i> <i>Leucospermum sp.</i>		10	4-5	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
395. E		<i>Myoporum sp.</i>	0.4	11	4	Fair-poor condition
396. E		<i>Syzygium paniculatum</i>	0.2	7	10	Good condition
397. F		<i>Ficus microcarpa</i>	0.2	9	7-8	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
398. G		<i>Leucospermum sp.</i>		8	2	shrub
399. E		<i>Myoporum sp.</i>	0.4	11	4	Fair condition- poor condition
400. E		<i>Myoporum sp.</i>	0.4	11	4	Fair condition- poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
401. F		<i>Phoenix canariensis</i>	0.8	7	15	(1-6) clear stem
402. A		<i>Ficus sp.</i>	0.46	13	7-8	Spreading canopy, good condition, healthy
403. F		<i>Washingtonia robusta</i>	0.7	3-5	10-12	Good condition, requires pruning

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
404. F		<i>Washingtonia robusta</i>	0.7	3-5	13	Good condition, requires pruning
405. F		<i>Ficus sp.</i>	0.3	8	5-5	Leaning stem, good condition
406. A		<i>Ficus sp.</i>	0.5	13	6	Leaning stem, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
407. F		<i>Phoenix canariensis</i>	0.6	9	9-10	(3.5) clear stem, good condition
408. A		<i>Ficus sp.</i>	0.5	13	6	Good condition
409. A		<i>Prunus sp.</i>	0.95	13	14	Poor condition, dead wood, windblown

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
410. E		<i>Acacia saligna</i>	2	8	4.5	Clustering, half dead, poor condition
411. E		<i>Fraxinus sp.</i>	0.5	8	7-8	Poor-fair condition, dead wood, windblown
412. E		<i>Fraxinus sp.</i>	0.2	5	4	Poor-fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
413. E		<i>Fraxinus sp.</i>	0.45	8	8-9	Split stem(1),fair condition
414. E		<i>Fraxinus sp.</i>	0.7	11	12	Multi stem (0.5), poor-fair condition, dead wood
415. E		<i>*Grevillea robusta</i>	0.5	10	12	Poor condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
416. A		<i>Ilex sp.</i>	0.51	8	9-10	Multi stem(0.5), good condition
417. F		<i>Phoenix canariensis</i>	0.9	8	12	(8-9) clear stem, good condition
418. E		<i>Fraxinus sp.</i>	0.5	7	6-7	Split stem (0.5), poor condition, windblown, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
419. E		<i>*Schinus terebinthifolius</i>	MS (0.1)	10	5-6	Spreading, good condition, invader
420. B		<i>Ceratonia siliqua</i>	0.33	8	8-9	Good condition
421. E		<i>Syzygium paniculatum</i>	0.2	3	5-6	Upright, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
422. E		<i>Callistemon sp.</i>	MS (0.8)	4.5	5-6	Fair condition
423. B		<i>Syzygium cordatum</i>	0.21	5.5	4.5	Good condition
424. B		<i>Syzygium cordatum</i>	0.21	5.5	6.5	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
425. B		<i>Celtis sp.</i>	0.25	9.5	7-8	Good condition, healthy
426. B		<i>Ceratonia sp.</i>	MS (0.95)	9.5	5-6	Fair condition, twining branches
427. G		<i>Leucospermum sp.</i>		5.5	2	Mature, windblown, fair-poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
428. B		<i>Protea sp. cluster</i>		8	3	Fair condition, mature
429. E		<i>Myoporum sp.</i>	MS (1.2)	4.5	4.5	Poor condition, dead wood
430. B		<i>Eucalyptus sp.</i>	2.7	10	6	Cluster, poor condition, re-sprouting

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
431. G		<i>Brachylaena sp.</i>	MS (1.2)	9.5	15	Fair condition, over grown
432. B		<i>Kiggelaria africana</i>	0.3	5	8-9	Good condition, upright against the building
433. B		<i>Erythrina sp.</i>	0.27	5	5	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
434. F		<i>Phoenix canariensis</i>	1.2	8	14	(10 m) clear stem, good condition
435. E		* <i>Schinus terebinthifolius</i> x2		12	5-6	Self-seed, growing into the building, fair condition
436. B		<i>Ceratonia siliqua</i>	0.45	8	6-9	Spreading canopy, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
437. E		<i>Morus alba</i>	MS (0.5)	5	6-7	Leaning, fair condition, self-seed
438. C		<i>Pinus sp.</i>	0.55	11	9-10	Leaning stem, windblown, old, poor-fair condition
439. F		<i>Phoenix canariensis</i>	0.7	8	7-8	(5m) clear stem, fair condition, leaning against the building

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
440. F		<i>Phoenix canariensis</i>	0.6	5	10	(7-8m) Clear stem
441. A		<i>Quercus robur</i>	1.1	14	12-13	Mature, good condition, spreading canopy
442. E		<i>*Schinus terebinthifolius</i>	0.7	9	10-12	Multi stem (0.5), twining branches, good condition, invader

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
443. B		<i>Castanea sativa</i>	0.35	9	9-10	Dead wood, good condition
444. E		* <i>Schinus terebinthifolius</i>	MS (0.6)	9	6-7	Fair condition, invader, twining stem
445. A		<i>Searsia pendulina</i>	MS (0.7)	12	7-8	Twining branches, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
446. E		<i>*Melia azedarach</i>	0.37	10	10-110	Good condition, invader
447. F		<i>Strelitzia nicolai</i>		5	10	Cluster (3m), good-fair condition
448. E		<i>Eucalyptus sp.</i>	9	10	10	Poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
449. G		<i>Brachylaena sp.</i>	0.25	7	4.5	Fair condition, growing into another tree (* <i>Schinus terebinthifolius</i>)
450. E		* <i>Phytolacca dioica</i>	1	4	9-10	Half dead, poor condition
451. E		* <i>Schinus terebinthifolius</i>	0.25	4.5	4	Twining stem, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
452. F		<i>Ficus microcarpa</i>	0.6	14	9-10	Good condition
453. A		<i>Eucalyptus sp.</i>	1	7-8	9-10	Poor-fair condition
454. A		<i>Ficus microcarpa</i>	0.4	9-10	(10-12)	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
455. B		<i>Eucalyptus sp.</i>		5	6	Poor condition
456. A		<i>Ficus microcarpa</i>	1	16	10-12	Good condition, spreading
457. F		<i>Phoenix canariensis</i>	0.7	7	5	(1m) clear stem

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
458. E		<i>Celtis sp.</i> <i>Syzygium paniculatum</i> <i>Syzygium cordatum</i> <i>Conifers sp.</i>				Cluster
459. E		<i>Metrosideros sp.</i>	0.3	6	6	Good condition
460. E		<i>*Schinus terebinthifolius</i>	1	13	5.5	Spreading canopy

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
461. B		<i>Syzygium guineense</i>	0.37	10	10	Good condition
462. A		<i>Ficus sp.</i>	0.5	13	11	Good condition
463. G		<i>Ceratonia siliqua</i> <i>*Schinus terebinthifolius</i> <i>Yucca sp.</i> <i>Morus alba</i> <i>Dovyalis caffra</i>	0.1-0.3		±4-5	Cluster canopy

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
464. E		<i>*Phytolacca dioica</i>	9	9	3	Re-sprouting stump, enlarged base, fair condition
465. E		<i>Eriobotrya japonica</i>	0.16	4	4	Good condition,
466. E		<i>Eriobotrya japonica</i>	0.18	7	6	Fair condition, windblown

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
467. G		<i>Dovyalis caffra</i>	MS (0.25)	13	4.5	Cluster, good condition, mature
468. A		<i>Eucalyptus sp.</i>	0.9	13	14-15	Good condition, mature
469. G		<i>Unknown sp. evergreen</i>	MS (0.5)	8	9-10	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
470. E		<i>*Phytolacca dioica</i>	MS (3)	13	11-12	Enlarged base, fair condition, mature, invader
471. B		<i>Pinus pinea X4</i>	0.8	16	13	Poor condition, windblown, dead wood
472. G		<i>Ceratonia siliqua</i>	0.9	9	12	Dead wood, mature, poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
473. C		<i>Ficus sp.</i>	2.1	17	19+	Good condition, mature, spreading canopy
474. F		<i>Phoenix canariensis</i>	1	7	17	(14m) clear stem, good condition
475. G		<i>*Harpephyllum caffrum sp.</i> <i>Persea Americana</i> <i>Prunus persica x2</i>	0.2	13	8-9	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
476. G		<i>Kiggelaria Africana</i> <i>Brachylaena sp.</i> <i>Persea americana x2</i> <i>Citharexylum spinosum</i>	0.3	22		Good condition, over grown
477. A		<i>Podocarpus sp.</i>	0.2	6	7-8	Upright, fair condition
478. F		<i>Ficus benjamina</i>	0.27	8	8-9	Pot plant, good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
479. A		<i>Kiggerlaria africana</i>	0.6	10	9-10	Good condition
480. E		<i>Eriobotrya japonica</i>	0.5	8	8-9	Good condition, invader
481. G		<i>Prunus persica</i>	0.25	4	6	Fair condition, fruiting

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
482. B		<i>Kiggelaria africana</i>	MS (0.5)	6	8-9	Fair condition
483. F		<i>Strelitzia nicolai</i>	1	4	8-9	Cluster, good condition
484. G		<i>Ficus benjamina</i>	0.3	5	5-6	Fair condition, suppressed growth

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
485. B		<i>*Harpephyllum caffrum</i> sp.	0.24	9	10-11	Leaning, good condition
486. B		<i>Olea</i> sp.	0.57	4	8-9	Good-fair condition
487. B		<i>Acacia galpinii</i>	0.4	9	10-11	Leaning, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
488. G		<i>Prunus sp.</i>	MS (0.5)	11	5	Good condition
489. B		<i>Olea sp.</i>	MS (0.5)	6	4-5	
490. E		<i>*Phytolacca dioica</i>	0.8	8	9	Enlarged base

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
491. F		<i>Ficus elastica</i>				
492. E		<i>Morus alba</i>	0.4	12	6-7	Leaning, good-fair condition
493. E		<i>Eriobotrya japonica</i>	0.17	4.5	7	Very healthy

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
494. B		<i>Celtis sp.</i>	0.2	4-5	7	Good condition
495. B		<i>Olea sp.</i>	MS (1)	5	6	Fair condition
496. G		<i>Prunus sp.</i>	MS (0.8)	5	6	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
497. G		<i>Persea americana</i>	MS (1)	5	5.5	Fair condition
498. G		<i>Prunus sp.</i>	0.4	5	5.5	Fair condition
499. G		<i>Prunus sp.</i>	0.2	3	4.5	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
500. F		<i>Ficus carica</i>	0.2	5	5	Fair condition
501. B		<i>Mangifera indica</i>	0.3	4	4-5	
502. E		<i>Acer sp.</i>	0.38	9	6-7	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
503. F		<i>Searsia pendulina</i>	0.4	3	6	Fair condition
504. B		<i>Celtis sp.</i>	0.2	3	8	Good condition
505. B		<i>Ilex sp.</i>	MS (0.1)	6	8	Fair condition


NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
506. E		<i>Eriobotrya japonica</i>	0.4	5	9-10	Fair condition, leaning
507. E		<i>Metrosideros sp.</i>	0.6	6	9-10	Good condition
508. E		<i>Myoporum sp.</i>	0.35	8	9-10	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
509. E		<i>Callistemon sp.</i>	0.26	5	9-10	Good condition
510. G		<i>Hibiscus sp.</i>	0.6	7	8	Fair-poor condition
511. G		<i>Citharexylum spinosum</i>	0.35	6	8	Suppressed growth, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
512. B		<i>Kiggelaria africana</i>	0.3	8	8-9	Good condition
513. G		<i>Persea americana</i>	0.25	7	8-9	Fair condition
514. G		<i>Unknown sp.</i>	0.4	8	10-12	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
515. E		<i>*Phytolacca dioica</i>	2.5	6	7	Enlarged base, fair condition, invader
516. E		<i>*Phytolacca dioica</i>	2.5	6	7	Enlarged base, fair condition, invader
517. F		<i>Phoenix canariensis</i>	1	6	12	Good condition, clear stem

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
518. G		<i>Ekebergia sp.</i>	0.14	2.5	3	Windblown, fair condition
519. B		<i>Pinus sp.</i>	0.58	8	11-12	Poor condition, dead wood, dying
520. B		<i>Pinus sp.</i>	0.3	6	13	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
521. B		<i>Pinus sp.</i>	0.3	6	10	Good condition
522. B		<i>Pinus sp.</i>	0.3	6	10	Fair to good condition
523. B		<i>Pinus sp.</i>	0.3	4.5	8-9	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
524. B		<i>Pinus sp.</i>	0.3	4	10-12	Good condition
525. B		<i>Pinus sp.</i>	0.38	6	13	Good condition
526. B		<i>Pinus sp.</i>	0.3	6	10	Poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
527. B		<i>Pinus sp.</i>	0.4	8	10-11	Fair to good condition
528. B		<i>Pinus sp.</i>	0.34	5	12	Fair condition
529. B		<i>Pinus sp.</i>	0.34	5	12	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
530. B		<i>Pinus sp.</i>	0.3	4.5	11	Split stem 1m from base, fair condition
531. B		<i>Pinus sp.</i>	0.38	4.5	11	Poor condition, dead wood.
532. B		<i>Pinus sp.</i>	0.35	5.5	22	Fair condition, dead wood.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
533. B		<i>Pinus sp.</i>	0.38	5	11-12	Good condition
534. B		<i>Pinus sp.</i>	0.45	9.15	12-13	Good condition
535. F		<i>Ficus sp.</i>	0.32	7.5	5-6	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
536. G		<i>Syzygium cordatum</i>	0.11	2.8	3	Good condition
537. G		<i>Syzygium cordatum</i>	0.3	5	4	Good condition
538. G		<i>Syzygium cordatum</i>	0.12	3	4	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
539. G		<i>Syzygium cordatum</i>	0.12	3	4	Good condition
540. F		<i>Ficus sp.</i>	0.26	8	5.5-6	Good condition, exposed roots
541. F		<i>Ficus sp.</i>	0.34	8	5.5-6	Split stem 1m from base, fair condition, exposed roots

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
542. A		<i>Eucalyptus ficifolia</i>	0.38	7	9-10	Good condition, mature
543. A		<i>Eucalyptus ficifolia</i>	0.57	8.5	12-13	Dead wood, poor condition, over hanging electrical lines
544. A		<i>Eucalyptus ficifolia</i>	0.34	9	7	Mature, good condition, hanging over electrical lines

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
545. E		<i>Melia azedarach</i>	0.36	8	7-8	Fair condition, dead wood, hanging over electrical lines
546. A		<i>Eucalyptus sp.</i>	0.38	5	6-7	Leaning stem, fair condition, dead wood
547. A		<i>Eucalyptus sp.</i>	0.4	6	9-10	Supressed canopy growth, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
548. A		<i>Eucalyptus sp.</i>	0.76	15	12-13	Enlarged base, mature, good condition
549. A		<i>Eucalyptus sp.</i>	0.37	8	9-10	Fair condition
550. B		<i>Eucalyptus sp.</i>	0.46	5.5	7-8	Enlarged base, fair condition, stunted growth

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
551. A		<i>Eucalyptus sp.</i>	0.44	9.5	8-9	Leaning stem, good condition
552. A		<i>Pinus sp.</i>	0.48	10	8-9	Leaning stem, poor condition, dead wood
553. A		<i>Pinus sp. x 19</i>	0.2-0.35	2-4	10+	Poor condition, dying, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
554. A		<i>Eucalyptus sp.</i>	0.33	4.5	6-7	Poor condition, stunted growth
555. A		<i>Pinus sp.</i>	0.64	12	14+	Leaning stem, fair to poor condition, dead wood mature.
556. A		<i>Pinus sp.</i>	0.67	11	6	Main trunk removed, stunted growth.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
557. B		<i>Celtis sp.</i>	0.4	11	4-5	Split stem 0.5m from base, dead wood, poor condition, low spreading canopy
558. G		<i>Pinus sp. x22</i>	0.18-0.4	37 (cluster canopy)	8-9	Poor condition, windblown, dead wood
559. E		<i>*Callistemon viminalis x9</i>	0.1-0.3	18 (cluster canopy)	4-5	Leaning stem, poor to fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
560. F		<i>Ficus sp.</i>	0.3	9	5-6	Good condition
561. G		<i>Searsia pendulina</i>	0.25	13	4	Poor to fair condition, twining stem
562. E		<i>Populus sp.</i>	0.7	12	13-14	Dead wood, fair condition, mature

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
563. B		<i>Eucalyptus</i>	0.35	6.5	7-8	Fair condition
564. E		<i>Metrosideros excelsa</i>	0.14	4.5	4.5-5	Fair condition
565. E		<i>Metrosideros excelsa</i>	0.14	4.5	4.5-5	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
566. E		<i>Metrosideros excelsa</i>	0.14	4.5	4.5-5	Fair condition.
567. E		<i>Metrosideros excelsa</i>	0.1	1.8	2	Fair condition.
568. E		<i>Metrosideros excelsa</i>	0.14	4	3	Fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
569. E		<i>Metrosideros excelsa</i>	0.1	2	2.5	Stunted growth, windblown, poor condition
570. G		<i>Quercus sp.</i>	0.28	10	9-10	Poor condition, fair condition, stunted growth.
571. B		<i>Quercus sp.</i>	0.28	10	9-10	Poor condition, fair condition, stunted growth.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
572. E		<i>*Nerium oleander</i> (cluster)			2.5	Fair condition, invasive
573. B		<i>Quercus sp.</i>	0.28	10	9-10	Poor condition, fair condition, stunted growth.
574. B		<i>Quercus sp.</i>	0.28	10	9-10	Poor condition, fair condition, stunted growth.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
575. B		<i>Quercus sp.</i>	0.28	10	9-10	Poor condition, fair condition, stunted growth.
576. G		<i>Quercus</i>				Dead tree
577. B		<i>Pinus sp.</i>	0.37	7	9-10	Fair to good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
578. B		<i>Pinus sp.</i>	0.28	6.5	9-10	Poor condition, windblown
579. B		<i>Pinus sp. x 9</i>	0.1	3	2-4	Poor condition, windblown
580. B		<i>Pinus sp.</i>	0.5	10	9-10	Mature, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
581. B		<i>Pinus sp.</i>	0.57	12	8-9	Fair to poor condition
582. B		<i>Pinus sp.</i>	0.24	7.5	6-7	Fair to poor condition
583. B		<i>Pinus sp.</i>	0.29	4.5	7-8	Poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
584. B		<i>Pinus sp.</i>	0.29	4.5	7-8	Poor condition
585. B		<i>Pinus sp.</i>	0.32	6.5	5-6	Poor to fair condition
586. B		<i>Pinus sp.</i>	0.69	7	12-13	Poor to fair condition, mature

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
587. B		<i>Pinus sp.</i>	0.7	7	12-13	Half dead, poor condition
588. B		<i>Pinus sp.</i>	0.7	7	12-13	Half dead, poor condition
589. B		<i>Pinus sp. x 11</i>	0.25-0.5	27	13-14	Poor to fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
590. B		<i>Pinus sp.</i>	1.2	23	13-14	Heritage, mature, dead wood, fair condition
591. B		<i>Pinus sp. x 8</i>	0.47	26	12-13	Poor to fair condition
592. E		* <i>Casuarina cunninghamiana</i>	0.4	11	12	Invader, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
593. E		* <i>Casuarina cunninghamiana</i> x 5	0.14-0.4	17	7-11	Poor to fair condition, windblown, invader
594. E		* <i>Casuarina cunninghamiana</i> x 3	0.4	15	5-9	Poor condition, dead wood, windblown, invader
595. E		* <i>Melia azedarach</i>	0.45	12	5	Poor condition, invader + dead stump

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
596. B		<i>Conifer sp.</i>	0.35	10	7	Leaning stem, poor condition, windblown, mature
597. B		<i>Pinus sp.</i>	1.1	10	12	Fair condition, dead wood
598. B		<i>Pinus sp.</i>	1.1	11	7-8	Fair condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
599. B		<i>Pinus sp.</i>	1.1	10	7-8	Poor condition, dead wood, leaning
600. B		<i>Pinus sp.</i>	0.7	10	9-10	Poor condition, dead wood, leaning
601. B		<i>Pinus sp.</i>	0.8	10	12	Poor condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
602. B		<i>Pinus sp.</i>	1	5	10	Poor condition, dead wood, half dead
603. B		<i>Pinus sp.</i>	0.7	5	10	Poor condition
604. B		<i>Pinus sp.</i>	1	7	10	Poor condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
605. B		<i>Pinus sp.</i>	0.5	5	9	Stunted growth, dead wood, poor condition
606. B		<i>Pinus sp.</i>	1	10	12	Dead wood poor to fair condition
607. B		<i>Pinus sp.</i>	1	10	12	Dead wood, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
608. B		<i>Pinus sp.</i>	1	13	5-6	Enlarge trunk, good condition
609. B		<i>Pinus sp.</i>	1	13	5-6	Enlarge trunk, good condition
610. B		<i>Pinus sp.</i>	0.8	9	12	Leaning, poor condition.

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
611. B		<i>Pinus sp.</i>	0.8	9	12	Canopy damaged
612. B		<i>Pinus sp.</i>	1.2	14	12	Leaning, dead wood, fair to poor condition
613. B		<i>Pinus sp.</i>	0.8	11	13	Leaning, dead wood, fair to poor condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
614. B		<i>Pinus sp.</i>	0.8	11	13	Mature, dead wood, fair condition
615. B		<i>Eucalyptus sp.</i>	1	11	12	Dead wood, fair condition, resprouting at base
616. B		<i>Eucalyptus sp.</i>	1.2	15+	14	Leaning, mature, dead wood, heritage size

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
617. B		<i>Pinus sp.</i>	0.9	7	9	Fair condition, dead wood
618. B		<i>Pinus sp.</i>	0.8	9	12	Spreading canopy, fair condition
619. B		<i>Pinus sp.</i>	0.5	9	12	Mature, dead wood, poor to fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
620. B		<i>Pinus sp.</i>	0.7	9	12	Mature, dead wood, poor to fair condition
621. B		<i>Pinus sp. x 7</i>	0.3-5	15	10	Cluster, dead wood, poor to fair condition
622. B		<i>Pinus sp. x 4</i>	0.4	16	11	Cluster, dead wood, poor to fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
623. B		<i>Pinus sp.</i>	0.8	10	13	Dead wood, fair condition, mature
624. B		<i>Pinus sp.</i>	1.2	10	14	Dead wood, fair condition, mature
625. B		<i>Pinus sp.</i>	1.2	10	14	Dead wood, fair condition, mature

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
626. B		<i>Pinus sp.</i>	0.8	10	14	Dead wood, fair condition, mature
627. B		<i>Conifer sp.</i>	0.4	9	7	Windblown, dead wood, poor condition

Tree Quality Survey Plans

